

PUBLIC WORKS DEPARTMENT

#### **ADVERTISEMENT FOR BID**

Pursuant NC General Statute143-129, sealed bids shall be accepted by the Town of Smithfield, Smithfield, North Carolina until and no later than 9:00 AM, Tuesday, May 18, 2021 at which time bids shall be opened for the review and subsequent purchase consideration of the following services specified below:

2020-2021 STREET RESURFACING PROJECT

Bid documents and specifications are available to prospective bidders by contacting Lawrence Davis at 919-934-2580, <u>lawrence.davis@smithfield-nc.com</u> or via the Town's website <u>www.smithfield-nc.com</u> (under the public notices section. The Town of Smithfield reserves the right to reject any and all bids.

Submit by <b>mail</b> to:	Town of Smithfield ATTN: Lawrence Davis <b>PO Box 761</b> Smithfield, NC 27577
Or <b>Hand Delivery</b> to:	Town of Smithfield

ATTN: Lawrence Davis **231 Hospital Rd.** Smithfield, NC 27577

Solicitation

231 Hospital Road <> P. O. Box 761 <> Smithfield, North Carolina, 27577 (919) 934-2580 <> FAX (919) 934-1522

# 2020 – 2021 STREET RESURFACING FOR TOWN OF SMITHFIELD



To be opened May 18, 2021, 9:00 AM

## MAYOR

Honorable Andy Moore

## TOWN COUNCIL

John A. Dunn David Stevens Marlon Lee David Barbour Travis Scott Stephen Rabil Roger A. Wood

## CITY MANAGER

Mr. Michael Scott

## PROJECT MANAGER

Lawrence Davis

# 2020 – 2021 STREET RESURFACING PROJECT FOR TOWN OF SMITHFIELD



A copy of the General and Supplementary Conditions along with the Specs for the Street Surfacing Project for Town of Smithfield will be provided for the purpose of bid proposal for a deposit of \$50.00 for the manual. The deposit will be refunded if the manual is returned. A copy will be given to the awarded contractor, upon completion of the Street Resurfacing Project, the manual must be returned to the Town of Smithfield Public Works Office at 231 Hospital Road, Smithfield, NC.

The manuals are the property of the Town of Smithfield Public Works Department if the manual is not returned your deposit will be forfeited.

## TABLE OF CONTENTS

Advertisement for Bids	AD-1 – AD-1
Instructions for Bidders	IFB-1 – IFB-4
Bid Form	BF-1 – BF-3
Bid Bond	BB-1 – BB-2
Agreement	AG-1 – AG-4
Payment Bond	PB-1 – PB –2
Performance Bond	PB-3 – PB-4
Notice of Award, and Acceptance of Notice	NA-1 – NA-2
Notice to Proceed	NP-1 – NP-1
Location Map	LM-1 – LM-1

#### STREET RESURFACING 2020-2021 SMITHFIELD, NORTH CAROLINA

#### ADVERTISMENT FOR BIDS Street Resurfacing 2020 – 2021 Project Town of Smithfield, North Carolina Public Works Department (Town of Smithfield, Owner)

Sealed bids will be received by the Town of Smithfield at the Public Works Building located at 231 Hospital Road, Smithfield, North Carolina until and no later than <u>9:00 AM EST on Tuesday, May 18, 2021</u> for the public concern for Street Resurfacing 2019-2020 Project Town of Smithfield.

Resurface selected streets within the Town limits as directed by the Project Engineer.

- 1. S9.5B Asphalt Surface Course or approved equal 1-1/2" Thick
- 2. Sawcut and remove existing asphalt and remove existing aggregate base course (ABC).
- 3. Full Depth Patch (5" Type H Asphalt Concrete Binder Course or approved equal).
- 4. Adjust Manhole rings and covers.
- 5. Adjust Water Valve Boxes.
- 6. Adjust Gas Valve Boxes.
- 7. Seal Cracks in Existing Pavement.
- 8. Milling of Asphalt (1 <sup>1</sup>/<sub>2</sub>" below gutter line)

Plans, specifications, and contract documents are open to public inspection at the Town of Smithfield Public Works Building, 231 Hospital Road, Smithfield, NC and at the Town Hall at 350 East Market Street, Smithfield, North Carolina or by contacting Shannan Williams, at 919-934-2116, Ext. 1108.

Each bid must be accompanied by a certified check or bid bond by an acceptable surety company of not less than five (5) percent of the amount of the bid, made payable to the Town of Smithfield, Smithfield, North Carolina, as a bid guarantee.

A Performance and Payment Bond will be required for the successful bidder in the amount of one hundred percent of the contract price, conditioned upon faithful performance of the contract, payment of all person supplying labor or furnishing materials, and payment of all liabilities incurred in connection with the work under this contract.

North Carolina law requires any contract bidding on work in the State that covers over \$30,000 to show evidence that such a firm is licensed under the "Act to Regulate the Practice of General Contracting."

No bid may be withdrawn for a period of thirty (30) days after the scheduled closing time for receiving bids. The Owner reserves the right to reject any and all bids and any part of a bid and to waive informalities and technicalities in the bidding procedure.

Town of Smithfield Post Office Box 761 Smithfield, North Carolina 27577

2020-2021 STREET RESURFACING

**ADVERTISMENT AD-1** 

#### STREET RESURFACING 2020-2021 SMITHFIELD, NORTH CAROLINA

#### **INSTRUCTIONS FOR BIDS**

BIDS will be received by the OWNER, TOWN OF SMITHFIELD, at the Smithfield Public Works Building located at 231 Hospital Road, Smithfield, NC, 9:00 AM EST Tuesday, May 18<sup>th</sup>, 2021 and then at said office, publicly opened and read.

Each bid must be submitted in a sealed envelope, addressed to Town of Smithfield Public Works Dept., Attn: Lawrence Davis, PO Box 761, Smithfield, NC 27577 or Hand Deliver to Town of Smithfield Public Works, Attn: Lawrence Davis at <u>231</u> Hospital Rd., Smithfield, North Carolina 27577. Each BID must be plainly marked on the outside envelope as BID for construction of **2020-2021 Street Resurfacing Project**, and the name, address, and license number of the BIDDER. If forwarded by mail, the sealed envelope containing the bid must be enclosed in another envelope addressed to the OWNER at the address listed above. Please direct technical questions to Lawrence Davis, at 919 934-2580 or 919 989-6570. Each BID document must be submitted in a separate envelope.

All BIDS must be made on the required BID FORM. All blank spaces for BID prices must be filled in, in ink, or typewritten, and the BID FORM must be fully completed and executed when submitted. Only one copy of the BID FORM is required.

Each BIDDER shall acknowledge receipt of all ADDENDA in the space provided in the BID FORM. The BID FORM and BID FORM BOND must be submitted loose. It is not necessary to submit these documents in the bound specification book. Each BIDDER will be responsible to assume himself that all ADDENDA have been received.

The OWNER reserves the right to reject any and all bids, and may waive any informalities or minor defects.

Any BID may be withdrawn prior to the above scheduled time for the opening of bids or authorized postponement thereof. Any BID received after the time and date specified shall not be considered. No BIDDER may withdraw a BID within thirty (30) days after the actual date of the opening thereof. Should there be reasons why the contract cannot be awarded within the specified period; the time may be extended by mutual AGREEMENT between the OWNER and BIDDER.

BIDDERS must satisfy themselves of the accuracy of the estimated quantities in the BID schedule by examination of the site and review of the drawings and specifications including ADDENDA. After BIDS have been submitted, the BIDDER shall not assert that there was a misunderstanding in the quantities of WORK or of the nature of the work to be done.

Each BIDDER shall submit a price for all alternates listed therein. Failure to do so will result in the bid being considered incomplete and may result in rejection of the bid.

#### STREET RESURFACING 2020-2021 Project SMITHFIELD, NORTH CAROLINA

The OWNER shall provide to BIDDERS prior to BIDDING all information which is pertinent to, and which delineates and describes, the land owned and rights-of-way acquired or to be acquired.

The CONTRACT DOCUMENTS contain the provision required for the construction of the PROJECT. Information obtained from an officer, agent, or employee of the OWNER or any other person shall not affect the risks or obligations assumed by the CONTRACTOR or relieve the CONTRACTOR from fulfilling any of the conditions of the contract.

Each BID must be accompanied by a BID BOND payable to the OWNER for five percent (5%) of the total amount of the BID. A certified check may be used in lieu of a BID BOND. As soon as the BIDS have been evaluated and a recommendation of the award accepted, the OWNER will return the BONDS of all executed, the BONDS of the two remaining unsuccessful BIDDERS will be returned. The BID BOND of the successful BIDDER will be retained until the PAYMENT and PERFORMANCE BONDS have been executed and approved, after which it will be returned.

PAYMENT and PERFORMANCE BONDS, each in the amount of 100 percent of the contract price, with a corporate surety approved by the OWNER, will be required for the faithful performance of the contract. PERFORMANCE and PAYMENT BONDS shall be valid for a period of at least one year from the date of acceptance of the completed work on each contract division.

Attorneys-in-fact who sign BID BONDS or PAYMENT BONDS and PERFORMANCE BONDS must file with each BOND a certified and effective dated copy of their power of attorney.

The party to whom the contract is awarded will be required to execute the AGREEMENT and obtain the PERFORMANCE BOND and PAYMENT BONDS within ten (10) calendar days from the date when NOTICE OF AWARD is delivered to the BIDDER. The NOTICE OF AWARD shall be accompanied by the necessary AGREEMENT and BOND forms. In case of failure of the BIDDER to execute the AGREEMENT, the OWNER may at his option consider the BIDDER in default, in which case the BID BOND accompanying the proposed shall become the property of the OWNER.

The OWNER within thirty (30) days of receipt of acceptable PERFORMANCE BOND, PAYMENT BOND, and AGREEMENT signed by the party to whom the AGREEMENT was awarded shall sign the AGREEMENT and return to such party an executed duplicate of the AGREEMENT. Should the OWNER not execute the AGREEMENT within such period, the BIDDER may, by written notice withdraw his singed AGREEMENT. Such notice of withdraw shall be effective upon receipt of the notice by the OWNER.

#### STREET RESURFACING 2020-2021 Project SMITHFIELD, NORTH CAROLINA

The NOTICE TO PROCEED shall be issued within thirty (30) days of the execution of the AGREEMENT by the OWNER. Should there be reasons why the NOTICE TO PROCEED has not been issued within thirty (30) day period or within the period mutually agreed upon, the CONTRACTOR may terminate the AGREEMENT without further liability on the party of either party.

The OWNER may make such investigations as he deems necessary to determine the ability of the BIDDER to perform the work, and the BIDDER shall furnish to the OWNER all such information and data for this purpose as the OWNER may request. The OWNER reserves the right to right any BID if evidence submitted by, or investigation of, such BIDDER fails to satisfy the OWNER that such BIDDER is properly qualified to carry out the obligations of the AGREEMENT and to complete the work contemplated therein.

A conditional or qualified BID will not be accepted.

Award will be made to the lowest responsive, responsible BIDDER unless all bids are rejected. The OWNER will award the contract conditioned upon being available. However, the OWNER reserves the right to reject all bids.

All applicable laws, ordinances, and the rules and regulations of all authorities having jurisdiction over construction of the project shall apply to the contract throughout.

Each BIDDER is responsible for inspecting the site and for reading and being thoroughly familiar with the CONTRACT DOCUMENTS. The failure or omission of any BIDDER to do any of the foregoing shall in no way relieve any BIDDER from any obligation in respect to his BID.

The lower BIDDER shall supply the names and addresses of major material SUPPLIERS and SUBCONTRACTORS when requested to do so by the OWNER or if indicated on the BID FORM.

<u>Time of Completion and Liquidated Damages:</u> The BIDDER must agree to commence work within the time stipulated in the AGREEMENT. Bidders must also agree to pay as liquidated damages the amount set forth in the AGREEMENT. Bidders must agree to pay as liquidated damages the amount set forth in the AGREEMENT for each consecutive calendar day that the work is incomplete after the scheduled date of completion.

<u>Interpretations of Plans and Specifications:</u> No interpretation of the meaning of the plans, specifications, or other documents will be made to any bidder orally prior to the receipt of bids.

# STREET RESURFACING 2020-2021 Project SMITHFIELD, NORTH CAROLINA

Each BIDDER, after having carefully examined the Bidding Documents, and not later than seven (7) calendar days prior to the date for receipts of BIDS, shall make written request to the ENGINEER for interpretation or correction of any ambiguity, inconsistency, or error therein which BIDDER has discovered. The failure on the part of the successful BIDDER to do so shall constitute a waiver of any right to later seek additional compensation for, seek a time extension for, or contest a later interpretation by the ENGINEER resolving such ambiguity, inconsistency, or error.

Any request for such interpretation shall be in writing addressed to Lawrence Davis, Public Works Superintendent, Town of Smithfield, NC, 27577. To be given consideration, such request must be received at least seven (7) days prior to the scheduled date for opening bids. Any such interpretation or supplemental instructions will be issued in the form of ADDENDA to the specifications, which will be mailed or faxed to all persons receiving a set of contract documents, not later than three (3) days prior to the date for opening bids. Failure of any bidder to receive such ADDENDA shall not relieve BIDDER of any obligation in the bid as submitted. All ADDENDA so issued shall become part of the contract documents.

<u>Right to Increase or Decrease the Amount of Work:</u> The work comprises approximately the quantities shown in the BID FORM that will be used as a basis for comparison and not for final estimate. The OWNER does not, by expression or by implication, agree that the actual work shall correspond with the estimated quantities. The OWNER reserves the right to increase or decrease the various amounts of work by 25% with no change in unit price.

<u>Notice of Special Conditions:</u> BIDDERS are especially advised to note the provisions of the Contract Documents dealing with the following items:

~ Responsibility for layout work (CONTRACTOR'S);

~ Responsibility for testing or materials (CONTRACTOR'S);

~ Coverage and limits of insurance

FROM:

#### **BID FORM**

#### 2020 – 2021 STREET RESURFACING PROJECT TOWN OF SMITHFIELD, NORTH CAROLINA (PUBLIC CONTRACT)

Bidder:	Submitted:
Address:	
Phone:	Fax:
Contractor's License No.:	

#### TO: Town of Smithfield PO Box 761 231 Hospital Road Smithfield, NC, 27577

The undersigned, as Bidder, hereby declares that the only person or persons, interested in this BID as principal (s) is, or are, named herein; that no other persons have any interest in the Bid or in the Contract to be entered into; that this BID is made without connection with any person, company, or parties making a bid; and that it is in all respects fair and in good faith without collusion or fraud.

The Bidder further declares that he has examined the SITE of the work and informed himself fully in regard to all conditions pertaining to the place where the work is to be done, that the has examined the Plans and Specifications for the work and the contractual documents relative thereto; and that he has satisfied himself as to the work to be performed.

Bidder acknowledges receipt of the following addenda:

No. \_\_\_\_\_ Date: \_\_\_\_\_

No. \_\_\_\_\_ Date: \_\_\_\_\_

No. \_\_\_\_\_ Date: \_\_\_\_\_

BID FORM BF-1

The Bidder further proposes and agrees, if this Bid is accepted, to contract with the Owner, Town of Smithfield, North Carolina, in the attached form to contract, to furnish all material, equipment, tools, apparatus, means of transportation, and labor necessary thereto, and to complete the construction of the proposed facilities in full and complete accordance with the Plans, Specifications and Contract Documents, to the full and entire satisfaction of the Engineer and the owners at the prices listed hereafter.

ITEMS OF WORK: The work comprises approximately the quantities shown herein which will be used as a basis for comparison of bids and not for final estimates. The Owner does not, expressly or by implication, agrees that the actual amount of work shall correspond with the estimated quantities.

Names of materials requested herein must be shown. In case of error in extension, the "Unit Price" shall govern rather than the "Total".

The unit prices and lump sum amounts listed hereinafter include all labor, materials, overhead, profit, insurance, taxes, etc. to cover the finished work, in place.

#### (To be Fully Completed for Acceptable Bid)

#### **PROPOSED SUB-CONTRACTOR:**

Name	Address	Type and Extent of Work
1		
2		
3		
4		

BID FORM BF-2

The unit prices hereinbefore shall include all labor, materials, bailing, shoring, removal, overhead, profit, insurance, etc. to cover the finished work of the several kinds called for.

Bidder understands that the Owner reserves the right to reject all bids and to waive any technicalities and formalities in the bidding.

The Bidder agrees that this bid shall be good and may not be withdrawn for a period of **thirty (30)** calendar days after scheduled closing time for receiving bids.

Upon receipt of notice of award, bidder will execute the formal contract attached with **ten (10)** days and deliver a Surety Bond or Bonds.

ATTACHED HERETO is a check on the

\_\_\_\_\_

Bank of \_\_\_\_\_\_ and/or bid bond with the

Company for the sum of \_\_\_\_\_ Dollars

made payable to TOWN OF SMITHFIELD as a bid guarantee.

The attached bid security is to become the property of the OWNER in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the Owner caused thereby.

The Bidder further proposes and agrees hereby to commence the work with adequate forces and equipment with **ten (10)** days after being notified by the Owner to proceed, and to complete the work within **seventy-five (75)** calendar days. Bidder further agrees to pay as liquidated damages the sum of **three hundred dollars (\$300)** for each consecutive calendar day thereafter.

Firm: \_\_\_\_\_

Seal (if Corporation)

Ву: \_\_\_\_\_

Title:	

BID FORM BF-3

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENT, that we, the undersigned,		
, as Principal, and		
as Surety, are hereby held and firmly bound unto <u>THE TOWN O</u>	F SMITHFIELD, N.C. as OWNER	
in the penal sum of	for the payment of which, well and	
truly to be made, we hereby jointly and severally bind ourselves,	successors and assigns.	
Signed, this day of, 20		
The Condition of the above obligation is such that whereas the F	Principal has submitted to a certain	
BID, attached hereto and hereby made a part hereof, to enter into a contract in writing for the		
construction of the 2020-2021 STREET RESURFACING PROJ	ECT	
(Public Contract)		

NOW, THEREFORE,

- (a) If said BID shall be rejected, or
- (b) If said BID shall be accepted and the Principal shall execute and deliver a contract in the Form of Contract attached hereto (properly completed in accordance with said BID) and shall furnish a BOND for his faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said BID.

Then this obligation shall be void, otherwise the same shall remain in force and effect; it being expressly understood and agreed that the liability of the surety for any and all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The Surety for value received, hereby stipulates and agrees that the obligations of said Surety and its BOND shall be in no way impaired or affected by any extension of the time within which the OWNER may accept such BID and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, the day and year first set forth above.

\_\_\_\_\_(L.S.)

Surety

By: \_\_\_\_\_

IMPORTANT - Surety companies executing BONDS must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the state where the project is located.

#### AGREEMENT

THIS AGREEMENT, made the \_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_, by and between <u>Town of</u> <u>Smithfield, North Carolina</u>, hereinafter called the "OWNER" and \_\_\_\_\_\_\_ doing business as (an individual), or (a partnership), or (a corporation) hereinafter call "CONTRACTOR".

#### WITNESSETH:

That for and in consideration of the payments and agreements hereinafter mentioned:

1. The CONTRACTOR will commence and complete the construction of

#### 2020-2021 STREET RESURFACING PROJECT

2. The CONTRACTOR will furnish all of the material, supplies, tools, equipment, labor, and other services necessary for the construction and completion of the PROJECT described herein.

3. The CONTRACTOR will commence the work required by the CONTRACT DOCUMENTS within **Ten (10)** calendar days after the date of the NOTICE TO PROCEED and will complete the same within **seventy-five (75)** calendar days unless the period for completion is extended otherwise by the CONTRACT DOCUMENTS. The CONTRACTOR further agrees to pay the sum of **\$300** per day as liquidated damages to the OWNER for each calendar day that the work exceeds the period so stated.

4. The CONTRACTOR agrees to perform all of the WORK described in the CONTRACT DOCUMENTS and comply with the terms therein for the sum of <u>\$</u>, or as shown in the BID schedule.

- 5. The term "CONTRACT DOCUMENTS" means and includes the following:
  - (A) ADVERTISEMENT FOR BIDS
  - (B) INFORMATION FOR BIDDERS
  - (C) BID FORM
  - (D) BID BOND
  - (E) AGREEMENT
  - (F) PAYMENT BOND
  - (G) PERFORMANCE BOND
  - (H) NOTICE OF AWARD
  - (I) ACCEPTANCE OF AWARD
  - (J) NOTICE TO PROCEED
  - (K) CHANGE ORDER
  - (L) CERTIFICATE OF SUBSTANTIAL COMPLETION
  - (M) GENERAL CONDITIONS
  - (N) GENERAL CONDITIONS (EDA)
  - (O) SUPPLEMENTAL GENERAL CONDITIONS
  - (P) SUPPLEMENTAL GENERAL CONDITIONS (EDA)
  - (Q) SPECIAL CONDITIONS (LOCAL)
  - (R) SALES TAX
  - (S) CERTIFICATE OF ELIGIBILITY
  - (T) NOTICE OF REQUIREMENTS FOR AFFIRMATIVE ACTION
  - (U) CERTIFICATE TO SUPERVISE PAYROLL
  - (V) PAYROLL CERTIFICATION
  - (W) CERTIFICATION REGARDING LOBBYING AND DISCLOSURE
  - (X) NOTICE TO EMPLOYEES
  - (Y) GENERAL WAGE DECISION

- (Z) LOCATION MAP
- (AA) SPECIFICATIONS

#### (BB) ADDENDA:

No	_, dated	_, 20
No	_, dated	_, 20
No	_, dated	_, 20
No	_, dated	_, 20
No	_, dated	_, 20

6. The OWNER will pay to the CONTRACTOR in the manner and at such times as set forth in the General Conditions such amounts as required by the CONTRACT DOCUMENTS.

7. This Agreement shall be binding upon all parties hereto and their respective heirs, executors, administrators, successors, and assigns.

IN WITNESS WHEREOF, the parties hereto have executed, or caused to be executed by their duly authorized officials, this Agreement in (4) copies each of which shall be deemed an original on date first above written.

	Town of Smithfield, North Carolina
	Ву:
	Name:
(SEAL)	Title: Town Manager
ATTEST:	
Name:	(Please type names and titles.)
Title:Town Clerk	
	CONTRACTOR:
	Ву:
	Name:
	Address:
(SEAL)	
ATTEST:	
Name:	

## **PAYMENT BOND**

in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a certain contract with the OWNER, dated the \_\_\_\_\_ day \_\_\_\_\_, <u>2021</u> a copy of which is hereto attached and made a part hereof for the construction of:

#### 2020-2021 STREET RESURFACING PROJECT

NOW, THEREFORE, if the Principal shall promptly make payment to all persons, firms, subcontractors, and corporations furnishing materials for or performing labor in the prosecution of the WORK provided for in such contract, and any authorized extension or modification thereof, including all amounts due for materials, lubricants, oil, gasoline, coal and coke, repairs on machinery, equipment and tools, consumed or used in connection with the construction of such WORK, and all insurance premiums on said WORK, and for all labor, performed in such WORK whether by Subcontractor or otherwise, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said Surety for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the WORK to be performed thereunder of the SPECIFICATIONS accompanying the same shall be any wise affect its obligation on this BOND, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the WORK or to the SPECIFICATIONS.

PROVIDED, FURTHER, that no final settlement between the OWNER and the CONTRACTOR shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrume	ent is executed in counter	parts,
each one of which shall be deemed an	original, this the day of, 2	0
ATTEST:		
(Principal Secretary)	Principal	
(SEAL)	By:	(s)
Witness as to Principal	(Address)	
(Address)		
ATTEST:	By: Attorney-in-Fact	
Witness as to Surety		
	(Address)	

(Address)

NOTE: Date of BOND must not be prior to date of Contract. If CONTRACTOR is partnership, all partners should execute BOND.

IMPORTANT: Surety companies executing BONDS must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the State where the PROJECT is located.

### PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS: that \_\_\_\_\_

(Address of Contractor)

\_\_\_\_, hereinafter called

(Corporation, Partnership or Individual)

Principal, and \_\_\_\_\_

(Name of Surety)

(Address of Surety)

hereinafter called Surety, and held and firmly bound unto

Town of Smithfield, North Carolina

(Name of Owner)

#### 350 E. Market Street, Smithfield, North Carolina 27577

(Address of Owner)

hereinafter called OWNER, in the penal sum of:

in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a certain contract with the OWNER, dated the \_\_\_\_\_ day of \_\_\_\_\_\_ a copy of which is hereto attached and made a part hereof for the construction of:

#### 2020 - 2021 STREET RESURFACING PROJECT

NOW, THEREFORE, if the Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by the OWNER, with or without notice to the Surety and during the one year guaranty period, and if he shall satisfy all claims and demands incurred under such contract, an shall fully indemnify and save harmless the OWNER from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the OWNER all outlay and expense which the OWNER may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED, FURTHER, than the said surety, for value received hereby stipulates and agrees no change, extension of time, alteration or addition to the terms of the contract or to WORK to be performed thereunder or the SPECIFICATIONS accompanying the same shall in any wise affect its obligation on this BOND, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the WORK or to the SPECIFICATIONS.

PROVIDED, FURTHER, that no final settlement between the OWNER and the CONTRACTOR shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is exec	uted incounterparts, each one
of which shall be deemed an original, this the	day of,,
ATTEST:	
Principal Secretary	Principal
(SEAL)	By:
Witness as to Principal	(Address)
(Address)	
ATTEST:	Surety
Witness as to Surety	By: Attorney-In-Fact
(Address)	(Address)

NOTE: Date of BOND must not be prior to date of Contract. If CONTRACTOR is Partnership, all partners should execute BOND.

IMPORTANT: Surety companies executing BONDS must appear on the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the state where the PROJECT is located.

## NOTICE OF AWARD

TO:

#### Project Description: 2020-2021 STREET RESURFACING PROJECT

The OWNER has considered the BID submitted by you for the above-described WORK in response to its Advertisement for Bids dated\_\_\_\_\_.

You are hereby notified that your BID has been accepted for items in the amount of:

\$\_\_\_\_\_

You are required by the Information for Bidders to execute the Agreement and furnish the required CONTRACTOR'S Performance Bond, Payment Bond and certificates of insurance within twenty (20) calendar days from the date of this Notice to you.

If you fail to execute said Agreement and to furnish said Bonds within twenty (20) days from the date of this Notice, said OWNER will be entitled to consider all your rights arising out of the OWNER'S acceptance of your BID as abandoned and as a forfeiture of your Bid Bond. The OWNER will be entitled to such other rights as may be granted by law.

You are required to return an acknowledged copy of this NOTICE OF AWARD to the OWNER.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, <u>20 \_</u>\_\_

Town of Smithfield, North Carolina		
Owner		
Ву		

Title:\_\_\_\_\_

## ACCEPTANCE OF NOTICE

Receipt of the above NOTICE OF AWARD is hereby acknowledged

this the	day of,
By:	
Name:	
Title:	
Contractor:	

## NOTICE TO PROCEED

DATE: \_\_\_\_\_, 2021

2020-2021 STREET RESURFACING

Johnston County, N. C.

You are hereby notified to commence WORK in accordance with our Agreement dated

\_\_\_\_\_, 2021 on or before \_\_\_\_\_, 2021, and you are to complete the

work within \_\_\_\_\_ consecutive calendar days thereafter or by \_\_\_\_\_\_, 2021 whichever

comes first. The date of completion of all WORK is therefore June 30, 2021.

Town of Smithfield, N.C.

Owner

By: \_\_\_\_\_ Michael Scott, Town Manager

## ACCEPTANCE OF NOTICE


Receipt of the above NOTICE TO PROCEED is hereby acknowledged by

this the \_\_\_\_\_ day of \_\_\_\_\_, 2021.


Ву: \_\_\_\_\_

Name:	

Title:	



2020-2021 Street Resurfacing Project - Street Listing



		_	S	egment
	Street Name		From:	To:
1.	Daughtry	ST	Wilsons Mills	Phillips Street
2.	Moonbeam	CIR	Rainbow	Moonbeam
3.	Rogers	CIR	Collier Street	Rogers Circle
4.	W. Wellons	ST	Chestnut	Baker Street tie in Intersection
5.	Magnolia	Dr	Peedin Road	Magnolia Drive
6.	N. Fifth	ST	Bridge Street	Main Street
7.	White Oak	DR	End of White Oak	Mill, around the circle
8.	Cherry	ST	Dail Street	Maple Street
9.	Eden	DR	E. Booker Dairy	Avon intersection
10.	Northern	AVE	MLK	FDP, East Street tie in intersection
11.	Caswell	ST	N. Sixth intersection	Mill, N. Seventh tie in Intersection
12.	Eden	DR	Avon	To the end of address 13 stop at the intersection of Meadow
13.	W. Wellons		600 to 700 block	Intersection tie of Cedar Wood
14.	W. Wellons		700 to 800 blook	intersection

2020 - 2021 Street Resurfacing Project - Street Listing

 Contractor will be required to provide all traffic control devices in and around work zones.

- Contactor is responsible for notifying 911 communications on all temporarily closed streets. Please provide location of street closing as well as estimated time frame. Contact # 919-934-9411
- Contactor will be required to address drainage issues within newly paved areas. Do not block the flow of water in intersection that requires water to fall from gutter line to gutter line. Hand work maybe required in certain areas.
- Contractor will be responsible for keeping construction areas clean. All scraped areas along roadway edges will need to backfilled and raked down for positive drainage.
- All track-based equipment is required to be transported on trailers from site to site. Track equipment is not allowed on town-paved streets outside of construction areas.
- Contractor will be required to assist citizens in and out of driveway areas that fall within construction zones. This may require but not limited to flaggers designated at each end of intersections
- Streets Highlighted in yellow will be milled down 1 1/2" below the gutter line
- Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt to the existing asphalt.
- Do not pave over gutter areas. Taper edges at gutter line.

	Project Location	<u>Item</u>	Description	<u>Estimated</u> <u>Quantity</u>	<u>Unit</u>	Unit Cost	Line Item Cost
1.	Daughtry Street Whole Block 100	1	S9.5B Asphalt Surface Course (1-1/2"	ſ	1	1	1
		1	Thick)	894.44	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt	4	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &	-	1	Ť	Ψ
		3	Sawcut & Remove existing asphalt & remove existing aggregate base course	0	SY	\$	\$
			(ABC)	0	01	Ψ	Ψ
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course)	0	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth	894.44	SY		\$
			= 1 1/2 " below Gutter Line)			•	
		6	Crack Sealing Adjust Water Valve Box	0	LBS EA		\$\$
		8	Adjust Manhole Ring & Cover	1			\$
2.	Moonbeam 116- 117 Cul-de -sac	I	<u> </u>	L	<u> </u>	1	1
		1	S9.5B Asphalt Surface Course (1-1/2"	1,197	SY	\$	\$
		<u> </u>	Thick) Mill all Butt Joints (1 1/2" at 25' width) on	.,			
		2	adjoining areas of newly poured asphalt	0	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &				
		3	remove existing aggregate base course	0	SY	\$	\$
			(ABC) Full Depth Patch (5" Type B25.0B				
		4	Asphalt Concrete Binder Course)	11.56	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth = 1 1/2 " below Gutter Line)	0	SY	\$	\$
		6	Crack Sealing	0	LBS	\$	\$
		7	Adjust Water Valve Box	0			\$
		8	Adjust Manhole Ring & Cover	2	EA	\$	\$
3.	Rogers Circle Block 200-215 Cul- de-Sac	1	S9.5B Asphalt Surface Course (1-1/2"	F	1	r	T
		1	Thick)	879.72	SY	\$	\$
			Mill all Butt Joints (1 1/2" at 25' width) on	_			
		2	adjoining areas of newly poured asphalt	0	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &				
		3	remove existing aggregate base course (ABC)	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B	0	SY	\$	\$
		<u> </u>	Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth				Ψ
		5	= 1 1/2 " below Gutter Line)	0.00	SY	\$	\$
		6	Crack Sealing		LBS		\$
		7	Adjust Water Valve Box	0	EA		\$
	W. Wellons Block 500-599 Starting at Chestnut to Baker in	8	Adjust Manhole Ring & Cover	0	EA	\$	\$
	W. Wellong Diock 300-333 Starting at Shesthat to Baker h	T	S9.5B Asphalt Surface Course (1-1/2"	4 750 40		6	
		1	Thick) Mill all Butt Joints (1 1/2" at 25' width) on	1,759.43	SY	P	\$
		2	adjoining areas of newly poured asphalt	0	N/A	s	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &			<u> </u>	· · · · · · · · · · · · · · · · · · ·
		3	remove existing aggregate base course	0	SY	\$	\$
			(ABC)		<u> </u>	ļ	·
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course)	0	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth	0	SY	\$	\$
		6	= <u>1 1/2 " below Gutter Line)</u> Crack Sealing	0	LBS		\$
		7	Adjust Water Valve Box	2	EA		\$
		8	Adjust Manhole Ring & Cover	2	EA		\$
5.	Magnolia Dr. 0-0 From Cul-de-Sac			•			·····
		1	S9.5B Asphalt Surface Course (1-1/2" Thick)	1,984.37	SY		\$
			Mill all Butt Joints (1 1/2" at 25' width) on		1		
		2	adjoining areas of newly poured asphalt	0	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &		<u> </u>		· · · · · · · · · · · · · · · · · · ·
		3	remove existing aggregate base course	0	SY	\$	\$
		<u> </u>	(ABC) Full Depth Patch (5" Type B25.0B		-		
		4	Asphalt Concrete Binder Course)	0	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth = 1 1/2 " below Gutter Line)	0	SY	\$	\$
		6	Crack Sealing	0	LBS	\$	\$
		7	Adjust Water Valve Box	4	EA	\$	\$
		8	Adjust Manhole Ring & Cover	2	EA	\$	\$

	Project Logation	Itom	Description	Estimated	110:4		
	Project Location	Item	Description	Quantity	Unit	Unit Cost	<u>Line Item Cost</u>
6.	N. Fith Street 100-199 and intersection		S9.5B Asphalt Surface Course (1-1/2"		1	f	r
		1	Thick)	1,360.88	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt	4	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &				
ľ		3	remove existing aggregate base course (ABC)	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B	67.77	SY	\$	\$
		5	Asphalt Concrete Binder Course) and Mill asphalt surface (Average Mill Depth = 1 1/2 " below Gutter Line)	0	SY	\$	\$
		6	Crack Sealing	0	LBS		\$
		7 8	Adjust Water Valve Box Adjust Manhole Ring & Cover	9 3	EA EA		\$ \$
7.	White Oak block 54- 65					ΙΨ	[Ψ
ľ		1	S9.5B Asphalt Surface Course (1-1/2" Thick)	1,201.77	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt	0	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &			·	
		3	remove existing aggregate base course	137.33	SY	\$	\$
		4	(ABC) Full Depth Patch (5" Type B25.0B	0	SY	\$	\$
		5	Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth	0.00	+	\$	\$
		6	= 1 1/2" below Gutter Line) Crack Sealing	0.00	LBS		\$ \$
		7	Adjust Water Valve Box	0	EA	\$	\$
8.	Cherry Street. 1000- 1009 and intersection	8	Adjust Manhole Ring & Cover	0	EA	\$	\$
		1	S9.5B Asphalt Surface Course (1-1/2" Thick)	592.89	SY	\$	\$
			Mill all Butt Joints (1 1/2" at 25' width) on		 		
		2	adjoining areas of newly poured asphalt to the existing asphalt.	0	N/A	\$	\$
		3	Sawcut & Remove existing asphalt & remove existing aggregate base course	0	SY	\$	\$
			(ABC) Full Depth Patch (5" Type B25.0B	-	<b> </b>		
		4	Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth	0		\$	\$
		5	= 1 1/2 " below Gutter Line)	592.89	SY		\$
		6	Crack Sealing Adjust Water Valve Box	1	LBS EA	\$	\$ \$
		8	Adjust Manhole Ring & Cover	1	EA		\$
9.	Eden Dr. Address 2-5		S9.5B Asphalt Surface Course (1-1/2"		1	1	[
		1	Thick)	1,844.32	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt	0	N/A	\$	\$
			to the existing asphalt. Sawcut & Remove existing asphalt &				
		3	remove existing aggregate base course (ABC)	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B	11.22	SY	\$	\$
		5	Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth	0	SY	\$	\$
		6	= 1 1/2 " below Gutter Line) Crack Sealing	0	LBS		\$
		7	Adjust Water Valve Box	3	EA	\$	\$
10	Northern Ave block 900 and intersection	8	Adjust Manhole Ring & Cover	2	EA	\$	\$
10.	Northern Ave block 500 and intersection	1	S9.5B Asphalt Surface Course (1-1/2"	1,284.33	SY	¢	\$
			Thick) Mill all Butt Joints (1 1/2" at 25' width) on	1,204.00		Ψ	Ψ
		2	adjoining areas of newly poured asphalt to the existing asphalt A th intercetion	0	N/A	\$	\$
		3	to the existing asphalt. A th intercetion Sawcut & Remove existing asphalt & remove existing aggregate base course	0	SY	¢	¢
			(ABC) Full Depth Patch (5" Type B25.0B	U		Ψ	\$
		4	Asphalt Concrete Binder Course)	284	SY	\$	\$
		1	Mill asphalt surface (Average Mill Depth	0	SY		\$
		5	= 1 1/2 " below Gutter Line)				\$
		6	Crack Sealing	0	LBS		
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$
		6	Crack Sealing			\$	
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$
		6 7	Crack Sealing Adjust Water Valve Box	0	EA	\$	\$

	Project Location	<u>ltem</u>	Description	Estimated Quantity	Unit	Unit Cost	Line Item Cost
11.	Casewell Block 600-699 and both intersections	ł			4		
		1	S9.5B Asphalt Surface Course (1-1/2" Thick)	1,040.65	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt to the existing asphalt.	4	N/A	\$	\$
		3	Sawcut & Remove existing asphalt & remove existing aggregate base course (ABC)	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course)	0	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth = 1 1/2 " below Gutter Line)	1,040.65	SY	\$	\$
		6	Crack Sealing	0	LBS	\$	\$
		7	Adjust Water Valve Box	0	EA	\$	\$
		8	Adjust Manhole Ring & Cover	5	EA	\$	\$
12.	Eden Dr. address 6-to the end of 13						
		1	S9.5B Asphalt Surface Course (1-1/2" Thick) Ivini all Buit Joints (1-1/2 - at 25 width) off	2,337	SY	\$	\$
		2	adjoining areas of newly poured asphalt	0	N/A	\$	\$
		3	to the ovicting acchalt Sawcut & Remove existing asphalt & remove existing aggregate base course (ABC)	81	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth	147	SY	\$	\$
		5	= 1 1/2 " below Gutter Line)	0		\$	\$
		6	Crack Sealing	0	LBS		\$
		7	Adjust Water Valve Box		EA		\$
		8	Adjust Manhole Ring & Cover	5	EA	\$	\$
13.	W.Wellon 600 to 700 block intersection of Cedar wood side	7			-		
		1	S9.5B Asphalt Surface Course (1-1/2" Thick)	1,516.88	SY	\$	\$
		2	Mill all Butt Joints (1 1/2" at 25' width) on adjoining areas of newly poured asphalt to the existing asphalt, Sawcut & Remove existing asphalt &	0	N/A	\$	\$
		3	Sawcut & Remove existing asphalt & remove existing aggregate base course (ABC)	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course)	33.77	SY	\$	\$
		5	Mill asphalt surface (Average Mill Depth = 1 1/2 " below Gutter Line)	0.00	L		\$
		6	Crack Sealing	0	LBS		\$
		7	Adjust Water Valve Box	5	EA		\$
		8	Adjust Manhole Ring & Cover	2	EA	\$	\$
14.	W.Wellon end of 700 to the end of 800 block driveway inter-	sectio				T	r
		1	S9.5B Asphalt Surface Course (1-1/2" Thick) Mill all Butt Joints (1 1/2" at 25' width) on	931.66	SY	\$	\$
		2	adjoining areas of newly poured asphalt to the existing asphalt Sawcut & Remove existing asphalt &	2	N/A	\$	\$
		3	remove existing aggregate base course	0	SY	\$	\$
		4	Full Depth Patch (5" Type B25.0B Asphalt Concrete Binder Course) Mill asphalt surface (Average Mill Depth	0	SY	\$	\$
		5	= 1 1/2 " below Gutter Line)	931.66	SY		\$
		6	Crack Sealing	······	LBS		\$
		7	Adjust Water Valve Box	2	EA		\$
		8	Adjust Manhole Ring & Cover	0	EA	\$	\$
						Total+	
		1					I