

Steve Dolinski

13171

Steve Dolinski 11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

BATHROOM # 6

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.2	L N/A	Y				
A B C D	Low Walls		L N/A	Y				
A B C D	Baseboards	5.8	L N/A	Y				
A B C D	Chair Rail		L N/A	Y				
A B C D	Radiator		L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.0	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame		L N/A	Y				
C D	Up Cab Door		L N/A	Y				
	Up Cab Walls		L N/A	Y				
1 2	Up Cab Shlvs		L N/A	Y				
3 4	Supports		L N/A	Y				
	Low Cab Fram		L N/A	Y				
A B	Low Cab Door		L N/A	Y				
C D	Low Cab Walls		L N/A	Y				
	Low Cab Shlvs		L N/A	Y				
1 2	Supports		L N/A	Y				
3 4	Drawers		L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B C D	Win Above 5'		L NA	Y				
	Ceiling Molding		L NA	Y				
A B C D	Medicine Cab		L NA	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 4

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	1.8	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	0.1	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cov.	L N/A	Y				
A B C D	Door Inset	0.0	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B C D	Door Inset	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B C D	Door Inset	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	/	L N/A	Y				
A	Closet Door	0.0	L N/A	Y				
B	CI Door Edge	0.1	F L N/A	Y				
C	CI Casing	0.0	L N/A	Y				
D	Closet Jamb	0.0	F L N/A	Y				
	Closet Walls	0.1	L N/A	Y				
	CI Baseboard	VB	L N/A	Y				
1	Closet Pole	0.1	L N/A	Y				
2	Closet Shelf	0.1	L N/A	Y				
3	CI Supports	0.1	L N/A	Y				
4	Closet Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	0.1	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	NC	M/I A/M L N/A	Y				
B C	Win Apron	/	L N/A	Y				
C	Win Casing	0.3	L N/A	Y				
D	Header Stop	0.2	M/I L N/A	Y				
	Int Stops	0.3	M/I L N/A	Y				
1	Win Int Sash	0.0	M/I L N/A	Y				
2	Exterior Sill	0.1	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.0	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.3	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
1	Win Int Sash	0.0	M/I L N/A	Y				
2	Exterior Sill	0.1	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
1	Win Int Sash	0.2	M/I L N/A	Y				
2	Exterior Sill	0.0	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A B	Fireplace	/	L N/A	Y				
C D	Mantle	/	L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
B C D	Baseboard	0.3	F M/I A/M L N/A	Y				
B C D	Trim	3.1	F M/I A/M L N/A	Y				
A B	Shelves	0.1	F M/I A/M L N/A	Y				
B	TRANSOM	0.0	F M/I A/M L N/A	Y				
A B D	Shelves	0.1	F M/I A/M L N/A	Y				
A B	UPPER SHELVES	0.1	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: Baseboards & Bulletin Board Vinyl Trim are I.M. Compliance.

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (4)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B	Door ^{EXT.}	0.1	L N/A	Y													
C/D	Door Edge	0.1	F L N/A	Y					A/B	Low Cab Fram	0.1	L N/A	Y				
1/2	Door Casing	0.1	L N/A	Y					C/D	Low Cab Door	0.0	L N/A	Y				
3/4	Door Jamb	0.1	F L N/A	Y					#	Low Cab Walls	0.1	L N/A	Y				
	Threshold	MET	L N/A	Y						Low Cab Shlvs	0.1	L N/A	Y				
A/B	Door ^{HALL 2}	0.1	L N/A	Y						Supports		L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y						Drawers		L N/A	Y				
1/2	Door Casing	0.3	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
3/4	Door Jamb	0.1	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold		L N/A	Y					C	Win Casing	.	L N/A	Y				
A/B	Door ^{HALL 5}	0.1	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
1/2	Door Casing	0.1	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
3/4	Door Jamb	0.2	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Threshold		L N/A	Y						Part Bead	.	M/I L N/A	Y				
			L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
			L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
A	Closet Door	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
B	CI Door Edge	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
C	CI Casing	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
C	Closet Walls	.	L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
D	CI Baseboard	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
#	Closet Pole	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Closet Shelf	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
	CI Supports	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
	CI Drawers	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	CI Dr Frame	.	L N/A	Y					A/B	Fireplace	.	L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					C/D	Mantel	.	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					A/B	Sidelight (L)	.	L N/A	Y				
A/B	Shlvs Above 5'	.	L N/A	Y					C/D	Sidelight (R)	.	L N/A	Y				
A/B	Cab Above 5'	.	L N/A	Y					A/B	Win Above 5'	.	L N/A	Y				
A/B	Cab Above 5'	.	L N/A	Y					C/D	Win Above 5'	.	L N/A	Y				
C/D	Up Cab Door	.	L N/A	Y							.	F M/I A/M L N/A					
#	Up Cab Walls	.	L N/A	Y							.	F M/I A/M L N/A					
	Up Cab Shlvs	.	L N/A	Y							.	F M/I A/M L N/A					
	Supports	.	L N/A	Y							.	F M/I A/M L N/A					
		.	F M/I A/M L N/A								.	F M/I A/M L N/A					
		.	F M/I A/M L N/A								.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 13171

Steve Dolinski 11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property:

231 Maple Rd.

Apt. #

Daycare

City:

Longmeadow

BATHROOM # 7

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Up Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	5.6	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B	Door Rm 4	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closet Door	/	L N/A	Y				
A	Cl Door Edge	/	F L N/A	Y				
B	Cl Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	Cl Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	Cl Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame	/	L N/A	Y				
C D	Up Cab Door	/	L N/A	Y				
	Up Cab Walls	/	L N/A	Y				
1 2	Up Cab Shlvs	/	L N/A	Y				
3 4	Supports	/	L N/A	Y				
	Low Cab Fram	/	L N/A	Y				
A B	Low Cab Door	/	L N/A	Y				
C D	Low Cab Walls	/	L N/A	Y				
	Low Cab Shlvs	/	L N/A	Y				
1 2	Supports	/	L N/A	Y				
3 4	Drawers	/	L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A B C D	Win Above 5'	/	L NA	Y				
	Ceiling Molding	/	L NA	Y				
A B C D	Medicine Cab	/	L NA	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: *231 Maple Rd.*

Apt. # *Danycare*

City: *Longmeadow*

BATHROOM # *8*

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	6.0	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	0.1	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B	Door <i>to Rm. 4</i>	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closet Door	/	L N/A	Y				
A	Cl Door Edge	/	F L N/A	Y				
B	Cl Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	Cl Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	Cl Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame	/	L N/A	Y				
C D	Up Cab Door	/	L N/A	Y				
	Up Cab Walls	/	L N/A	Y				
1 2	Up Cab Shlvs	/	L N/A	Y				
3 4	Supports	/	L N/A	Y				
	Low Cab Fram	/	L N/A	Y				
A B	Low Cab Door	/	L N/A	Y				
C D	Low Cab Walls	/	L N/A	Y				
	Low Cab Shlvs	/	L N/A	Y				
1 2	Supports	/	L N/A	Y				
3 4	Drawers	/	L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A B C D	Win Above 5'	/	L NA	Y				
	Ceiling Molding	/	L NA	Y				
A B C D	Medicine Cab	/	L NA	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: *Baseboards are In Compliance*

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Songmeadow

ROOM # 5

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	1.3	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	0.0	L N/A	Y				
	Floor	COV. L <input type="checkbox"/> (dust)	N/A	Y				
	Ceiling	COV.	L N/A	Y				
A B	Door to Rm. 6	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.5	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door Hall 2	0.2	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door Closet	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closet Door	0.1	L N/A	Y				
A	CI Door Edge	0.1	F L N/A	Y				
B	CI Casing	0.0	L N/A	Y				
C	Closet Jamb	0.0	F L N/A	Y				
D	Closet Walls	0.1	L N/A	Y				
	CI Baseboard	VB	L N/A	Y				
1	Closet Pole	0.0	L N/A	Y				
2	Closet Shelf	0.1	L N/A	Y				
3	CI Supports	0.0	L N/A	Y				
4	Closet Floor	COV. L <input type="checkbox"/> (dust)	N/A	Y				
	Closet Ceiling	0.1	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
1	Int Stops	0.1	M/I L N/A	Y				
2	Win Int Sash	0.2	M/I L N/A	Y				
3	Exterior Sill	0.1	M/I SF L N/A	Y				
4	Part Bead	0.0	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
1	Int Stops	0.0	M/I L N/A	Y				
2	Win Int Sash	0.1	M/I L N/A	Y				
3	Exterior Sill	0.2	M/I SF L N/A	Y				
4	Part Bead	0.1	M/I L N/A	Y				
	Blind Stop	0.0	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
1	Int Stops	0.1	M/I L N/A	Y				
2	Win Int Sash	0.2	M/I L N/A	Y				
3	Exterior Sill	0.1	M/I SF L N/A	Y				
4	Part Bead	0.0	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A B	Fireplace	/	L N/A	Y				
C D	Mantle	/	L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: "A" Chalk Board Vinyl Trim
"C" Bulletin Board Vinyl Trim are Im-Compliance
Baseboards are also Im-Compliance.

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

A	CHALK BOARD TRIM	0.1	F M/I A/M L N/A	Y				
A	CHALK BOARD VINYL TRIM	3.0	F M/I A/M L N/A	Y				
C	SHELVES	0.1	F M/I A/M L N/A	Y				
C	BULLETIN BOARD	0.1	F M/I A/M L N/A	Y				
C	BULLETIN BOARD VINYL TRIM	3.0	F M/I A/M L N/A	Y				
D	SHELVES	0.0	F M/I A/M L N/A	Y				

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (5)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door to Bath	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.5	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door to 10	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door to Ex.	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.5	F L N/A	Y				
	Threshold	MET	L N/A	Y				
	Closet Door	.	L N/A	Y				
A	Cl Door Edge	.	F L N/A	Y				
B	Cl Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y				
C	Closet Walls	.	L N/A	Y				
D	Cl Baseboard	.	L N/A	Y				
	Closet Pole	.	L N/A	Y				
#	Closet Shelf	.	L N/A	Y				
	Cl Supports	.	L N/A	Y				
	Cl Drawers	.	L N/A	Y				
	Cl Dr Frame	.	L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	.	L N/A	Y				
A B	Shlvs Above 5'	.	L N/A	Y				
C D	Cab Above 5'	.	L N/A	Y				
A B	Cab Above 5'	.	L N/A	Y				
C D	Cab Above 5'	.	L N/A	Y				
C D	Up Cab Door	.	L N/A	Y				
	Up Cab Walls	.	L N/A	Y				
#	Up Cab Shlvs	.	L N/A	Y				
	Supports	.	L N/A	Y				
		.	F M/I A/M L N/A					
		.	F M/I A/M L N/A					

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
	Low Cab Fram	0.1	L N/A	Y				
A B	Low Cab Door	0.0	L N/A	Y				
C D	Low Cab Walls	0.0	L N/A	Y				
#	Low Cab Shlvs	0.0	L N/A	Y				
	Supports	.	L N/A	Y				
	Shelves	0.3	L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
#	Win Int Sash	.	M/I L N/A	Y				
	Exterior Sill	.	M/I SF L N/A	Y				
	Part Bead	.	M/I L N/A	Y				
	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
#	Win Int Sash	.	M/I L N/A	Y				
	Exterior Sill	.	M/I SF L N/A	Y				
	Part Bead	.	M/I L N/A	Y				
	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A B	Fireplace	.	L N/A	Y				
C D	Mantel	.	L N/A	Y				
A B	Sidelight (L)	.	L N/A	Y				
C D	Sidelight (R)	.	L N/A	Y				
A B	Win Above 5'	.	L N/A	Y				
C D	Win Above 5'	.	L N/A	Y				
		.	F M/I A/M L N/A					
		.	F M/I A/M L N/A					
		.	F M/I A/M L N/A					
		.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski 10/31/19

Page 29 Of 64

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

BATHROOM # 9

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Up Walls	0.2	L N/A	Y				
A B C D	Low Walls	0.2	L N/A	Y				
A B C D	Baseboards	4.0	L N/A	Y				
A B C D	Chair Rail		L N/A	Y				
A B C D	Radiator		L N/A	Y				
	Floor	COV.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B C D	Door Rm. 5	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame		L N/A	Y				
C D	Up Cab Door		L N/A	Y				
	Up Cab Walls		L N/A	Y				
1 2	Up Cab Shlvs		L N/A	Y				
3 4	Supports		L N/A	Y				
	Low Cab Fram		L N/A	Y				
A B	Low Cab Door		L N/A	Y				
C D	Low Cab Walls		L N/A	Y				
	Low Cab Shlvs		L N/A	Y				
1 2	Supports		L N/A	Y				
3 4	Drawers		L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B C D	Win Above 5'		L NA	Y				
	Ceiling Molding		L NA	Y				
A B C D	Medicine Cab		L NA	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 10/31/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property:

231 Maple Rd.

Apt. #

Daycare

City:

Longmeadow

BATHROOM # 10

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Up Walls	0.3	L N/A	Y				
A B C D	Low Walls	0.1	L N/A	Y				
A B C D	Baseboards	5.8	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.0	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closet Door	/	L N/A	Y				
A	Cl Door Edge	/	F L N/A	Y				
B	Cl Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	Cl Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	Cl Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame	/	L N/A	Y				
C D	Up Cab Door	/	L N/A	Y				
	Up Cab Walls	/	L N/A	Y				
1 2	Up Cab Shlvs	/	L N/A	Y				
3 4	Supports	/	L N/A	Y				
	Low Cab Fram	/	L N/A	Y				
A B	Low Cab Door	/	L N/A	Y				
C D	Low Cab Walls	/	L N/A	Y				
	Low Cab Shlvs	/	L N/A	Y				
1 2	Supports	/	L N/A	Y				
3 4	Drawers	/	L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A B C D	Win Above 5'	/	L NA	Y				
	Ceiling Molding	/	L NA	Y				
A B C D	Medicine Cab	/	L NA	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS: Baseboards are Im-Compliance

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: *231 Maple Rd.*

Apt. # *Daycase*

City: *Longmeadow*

HALLWAY: Interior # *3* or Common Hallway: Front Rear Floor #

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	1.8	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	COV.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	COV.	L N/A	Y				
A B	Door ^{EXT.}	0.2	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
A B	Door ^{EXT.}	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
A B	Door ^{EXT.}	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door ^{EXT.}	0.2	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closest Door	.	L N/A	Y				
A	CI Door Edge	.	F L N/A	Y				
B	CI Casing	.	L N/A	Y				
C	Closest Jamb	.	F L N/A	Y				
D	Closest Walls	.	L N/A	Y				
	CI Baseboard	.	L N/A	Y				
1	Closest Pole	.	L N/A	Y				
2	Closest Shelf	.	L N/A	Y				
3	CI Supports	.	L N/A	Y				
4	Closest Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closest Ceiling	.	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
	Closest Door	.	L N/A	Y				
A	CI Door Edge	.	F L N/A	Y				
B	CI Casing	.	L N/A	Y				
C	Closest Jamb	.	F L N/A	Y				
D	Closest Walls	.	L N/A	Y				
	CI Baseboard	.	L N/A	Y				
1	Closest Pole	.	L N/A	Y				
2	Closest Shelf	.	L N/A	Y				
3	CI Supports	.	L N/A	Y				
4	Closest Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closest Ceiling	.	L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.4	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.2	M/I L N/A	Y				
1	Win Int Sash	0.2	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	0.0	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.3	L N/A	Y				
D	Header Stop	0.2	M/I L N/A	Y				
	Int Stops	0.3	M/I L N/A	Y				
1	Win Int Sash	0.1	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	0.4	M/I SF L N/A	Y				
	Win Ext Sash	0.0	M/I L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
A ₁	TRANSOM	0.1	F M/I A/M L N/A	Y				
A ₂	TRANSOM	0.3	F M/I A/M L N/A	Y				
A ₂	TRANSOM ABOVE WINDOW	0.3	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: *Baseboards are In-Compliance*

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

1 1

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF (HALL 3)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door ^{HALL 4}	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door ^{Rm. 7}	0.1	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door ^{EXT.}	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
A B	Door ^{HALL 1}	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
B	L Sidelight	0.0	F M/I A/M L N/A					
B	R Sidelight	0.1	F M/I A/M L N/A					
B	TRANSOM	0.1	F M/I A/M L N/A	Y				
C	TRANSOM	0.0	F M/I A/M L N/A	Y				
C	TELLER W/ FRAME	0.1	F M/I A/M L N/A	Y				
C	BULLSEYE BOARD	0.0	F M/I A/M L N/A	Y				
C	CEILING MOLDING	0.1	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF (HALL 3)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D #3 F-FIXED	Window Sill	NC	M/I A/M L N/A	Y				
	Win Apron	/	L N/A	Y				
	Win Casing	0.4	L N/A	Y				
	Header Stop	0.3	M/I L N/A	Y				
	Int Stops	0.3	M/I L N/A	Y				
	Win Int Sash	0.3	M/I L N/A	Y				
	Exterior Sill	/	M/I SF L N/A	Y				
	Part Bead	/	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.2	M/I L N/A	Y				
A B C D #1 F-FIXED	Window Sill	0.0	M/I A/M L N/A	Y				
	Win Apron	/	L N/A	Y				
	Win Casing	0.4	L N/A	Y				
	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.3	M/I L N/A	Y				
	Win Int Sash	0.1	M/I L N/A	Y				
	Exterior Sill	/	M/I SF L N/A	Y				
	Part Bead	/	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.3	M/I L N/A	Y				
A B C D #2 F-FIXED	Window Sill	0.0	M/I A/M L N/A	Y				
	Win Apron	/	L N/A	Y				
	Win Casing	0.4	L N/A	Y				
	Header Stop	0.0	M/I L N/A	Y				
	Int Stops	0.4	M/I L N/A	Y				
	Win Int Sash	0.0	M/I L N/A	Y				
	Exterior Sill	/	M/I SF L N/A	Y				
	Part Bead	/	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.2	M/I L N/A	Y				
C1	TRANSOM ABOVE W1 C1	0.0	F M/I A/M L N/A	Y				
C2	TRANSOM ABOVE W1 C2	0.0	F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D #3 F-FIXED	Window Sill	NC	M/I A/M L N/A	Y				
	Win Apron	/	L N/A	Y				
	Win Casing	0.4	L N/A	Y				
	Header Stop	0.2	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
	Win Int Sash	0.3	M/I L N/A	Y				
	Exterior Sill	/	M/I SF L N/A	Y				
	Part Bead	/	M/I L N/A	Y				
	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.3	M/I L N/A	Y				
A B C D #	Window Sill	.	M/I A/M L N/A	Y				
	Win Apron	.	L N/A	Y				
	Win Casing	.	L N/A	Y				
	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
	Win Int Sash	.	M/I L N/A	Y				
	Exterior Sill	.	M/I SF L N/A	Y				
	Part Bead	.	M/I L N/A	Y				
	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 11-1-19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 7

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Walls	0.1	L N/A	Y				
A B	Walls	NC	L N/A	Y				
A B	Baseboards	2.8	L N/A	Y				
A B	Chair Rail	/	L N/A	Y				
A B	Radiator	0.1	L N/A	Y				
	Floor	cont	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cont	L N/A	Y				
A B	Door Hall 3	0.1	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door Rm. 8	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door Rm. 9	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A	Closet Door	.	L N/A	Y				
B	Cl Door Edge	.	F L N/A	Y				
C	Cl Casing	.	L N/A	Y				
D	Closet Jamb	.	F L N/A	Y				
	Closet Walls	.	L N/A	Y				
	Cl Baseboard	.	L N/A	Y				
1	Closet Pole	.	L N/A	Y				
2	Closet Shelf	.	L N/A	Y				
3	Cl Supports	.	L N/A	Y				
4	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	.	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
1	Win Int Sash	0.0	M/I L N/A	Y				
2	Exterior Sill	0.1	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.0	M/I L N/A	Y				
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.5	L N/A	Y				
D	Header Stop	0.2	M/I L N/A	Y				
	Int Stops	0.3	M/I L N/A	Y				
1	Win Int Sash	0.1	M/I L N/A	Y				
2	Exterior Sill	0.1	M/I SF L N/A	Y				
3	Part Bead	0.0	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A B	Fireplace	.	L N/A	Y				
C D	Mantle	.	L N/A	Y				
A B	Win Above 5'	.	L N/A	Y				
C D	Win Above 5'	.	L N/A	Y				
	Ceiling Molding	0.0	L N/A	Y				
A	TELEVISION TRIM	0.1	F M/I A/M L N/A	Y				
D	REAR PANEL	0.1	F M/I A/M L N/A	Y				
D	FRONT PANEL	0.0	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: Baseboards are Im-Compliance.

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 11-1-19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 8

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
B	Walls	0.1	L N/A	Y				
A B	Low Walls		L N/A	Y				
A B	Baseboards	1.3	L N/A	Y				
A B	Chair Rail		L N/A	Y				
A B	Radiator		L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cov.	L N/A	Y				
A B	Door	0.4	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B	Fireplace		L N/A	Y				
C D	Mantle		L N/A	Y				
A B	Win Above 5'		L N/A	Y				
	Ceiling Molding		L N/A	Y				
A C	SHELVES	0.1	F M/I A/M L N/A	Y				
C	BULLET BOARD	0.1	F M/I A/M L N/A	Y				
D	CENTRAL BOARD	0.3	F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance.

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (8)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y													
C D	Door Edge	.	F L N/A	Y					A B	Low Cab Fram	0.1	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					(C) D	Low Cab Door	0.0	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					#	Low Cab Walls	0.0	L N/A	Y				
	Threshold	.	L N/A	Y						Low Cab Shlvs	0.1	L N/A	Y				
A B	Door	.	L N/A	Y						Supports		L N/A	Y				
C D	Door Edge	.	F L N/A	Y						Drawers		L N/A	Y				
1 2	Door Casing	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
A B	Door	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
C D	Door Edge	.	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Threshold	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
A B	Door	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
C D	Door Edge	.	F L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
A B	Closet Door	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
A	CI Door Edge	.	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
B	CI Casing	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
C	Closet Jamb	.	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
C	Closet Walls	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
D	CI Baseboard	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
#	Closet Pole	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	Closet Shelf	.	L N/A	Y					A B	Fireplace	.	L N/A	Y				
	CI Supports	.	L N/A	Y					C D	Mantel	.	L N/A	Y				
	CI Drawers	.	L N/A	Y					A B	Sidelight (L)	.	L N/A	Y				
	CI Dr Frame	.	L N/A	Y					C D	Sidelight (R)	.	L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					A B	Win Above 5'	.	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					C D	Win Above 5'	.	L N/A	Y				
A B	Shlvs Above 5'	.	L N/A	Y							.	F M/I A/M L N/A					
A B	Cab Above 5'	.	L N/A	Y							.	F M/I A/M L N/A					
A B	Cab Above 5'	.	L N/A	Y							.	F M/I A/M L N/A					
C D	Up Cab Door	.	L N/A	Y							.	F M/I A/M L N/A					
#	Up Cab Walls	.	L N/A	Y							.	F M/I A/M L N/A					
	Up Cab Shlvs	.	L N/A	Y							.	F M/I A/M L N/A					
	Supports	.	L N/A	Y							.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

BATHROOM # 13

Table with columns: SIDE, LOCATION/SURFACE, LEAD, TYPE OF HAZARD, URG HAZ?, IC DATE, IC METH, DELEAD DATE, DELEAD METH. Includes rows for Walls, Baseboards, Radiator, Floor, Ceiling, Door, Window Sill, etc.

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

Table with columns: SIDE, LOCATION, MEASURE: LOOSE PAINT, IC DATE, IC METHOD.

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance,

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 9

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	NB	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	0.0	L N/A	Y				
	Floor	0.1	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cov.	L N/A	Y				
A B	Door	0.0	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	0.6	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	0.6	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
A	Closet Door	/	L N/A	Y				
B	Cl Door Edge	/	F L N/A	Y				
C	Closet Casing	/	L N/A	Y				
D	Closet Jamb	/	F L N/A	Y				
	Closet Walls	/	L N/A	Y				
	Cl Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	Cl Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.0	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
1	Win Int Sash	0.1	M/I L N/A	Y				
2	Exterior Sill	0.0	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A B	Fireplace	/	L N/A	Y				
C D	Mantle	/	L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski 11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (9)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y						Low Cab Fram	0.1	L N/A	Y				
C D	Door Edge	.	F L N/A	Y					A B	Low Cab Door	0.1	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					C D	Low Cab Walls	0.0	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					#	Low Cab Shlvs	0.0	L N/A	Y				
	Threshold	.	L N/A	Y						Supports	.	L N/A	Y				
A B	Door	.	L N/A	Y						Drawers	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y					A	Window Sill	.	M/I AM L N/A	Y				
1 2	Door Casing	.	L N/A	Y					B	Win Apron	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					C	Win Casing	.	L N/A	Y				
	Threshold	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
A B	Door	.	L N/A	Y						Int Stops	.	M/I L N/A	Y				
C D	Door Edge	.	F L N/A	Y					#	Win Int Sash	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y						Part Bead	.	M/I L N/A	Y				
	Threshold	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
	Closet Door	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
A	CI Door Edge	.	F L N/A	Y					A	Window Sill	.	M/I AM L N/A	Y				
B	CI Casing	.	L N/A	Y					B	Win Apron	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y					C	Win Casing	.	L N/A	Y				
C	Closet Walls	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
D	CI Baseboard	.	L N/A	Y						Int Stops	.	M/I L N/A	Y				
#	Closet Pole	.	L N/A	Y					#	Win Int Sash	.	M/I L N/A	Y				
	Closet Shelf	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	CI Supports	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
	CI Drawers	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
	CI Dr Frame	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					A B	Fireplace	.	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					C D	Mantel	.	L N/A	Y				
A B	Shlvs Above 5'	0.1	L N/A	Y					A B	Sidelight (L)	.	L N/A	Y				
C D	Cab Above 5'	.	L N/A	Y					C D	Sidelight (R)	.	L N/A	Y				
A B	Cab Above 5'	.	L N/A	Y					A B	Win Above 5'	.	L N/A	Y				
C D	Up Cab Door	0.1	L N/A	Y					C D	Win Above 5'	.	L N/A	Y				
	Up Cab Walls	0.0	L N/A	Y							.	F M/I A/M L N/A					
# B	Up Cab Shlvs	0.0	L N/A	Y							.	F M/I A/M L N/A					
	Supports	NC	L N/A	Y							.	F M/I A/M L N/A					
B	UP CAB FRAME	0.0	F M/I A/M L N/A								.	F M/I A/M L N/A					
			F M/I A/M L N/A								.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

HALLWAY: Interior # 5 or Common Hallway: Front Rear Floor #

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	1.6	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cov.	L N/A	Y				
A B	Door BRN HALL 4	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door HALL 4	0.2	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NET.	L N/A	Y				
A B	Door BRN	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door BRN.9	0.0	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Closet Door	/	L N/A	Y				
A	CI Door Edge	/	F L N/A	Y				
B	CI Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	CI Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	CI Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
	Closet Door	/	L N/A	Y				
A	CI Door Edge	/	F L N/A	Y				
B	CI Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	CI Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	CI Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A	Window Sill	/	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	/	L N/A	Y				
D	Header Stop	/	M/I L N/A	Y				
	Int Stops	/	M/I L N/A	Y				
1	Win Int Sash	/	M/I L N/A	Y				
2	Exterior Sill	/	M/I SF L N/A	Y				
3	Part Bead	/	M/I L N/A	Y				
4	Blind Stop	/	M/I SF L N/A	Y				
	Win Ext Sash	/	M/I L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
D	Threshold	0.6	F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS: Baseboards are I m. Compliance

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

BATHROOM # 14

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls		L N/A	Y				
A B C D	Baseboards	5.4	L N/A	Y				
A B C D	Chair Rail		L N/A	Y				
A B C D	Radiator	0.2	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame		L N/A	Y				
C D	Up Cab Door		L N/A	Y				
	Up Cab Walls		L N/A	Y				
1 2	Up Cab Shlvs		L N/A	Y				
3 4	Supports		L N/A	Y				
	Low Cab Fram		L N/A	Y				
A B	Low Cab Door		L N/A	Y				
C D	Low Cab Walls		L N/A	Y				
	Low Cab Shlvs		L N/A	Y				
1 2	Supports		L N/A	Y				
3 4	Drawers		L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B C D	Win Above 5'		L NA	Y				
	Ceiling Molding		L NA	Y				
A B C D	Medicine Cab		L NA	Y				
B	Toilet Stall	0.0	F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance.

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property:

231 Maple Rd.

Apt. #

Daycare

City:

Longmeadow

HALLWAY: Interior #

4

or

Common Hallway: Front

Rear

Floor #

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Up Walls	0.1	L N/A	Y				
A B C D	Low Walls	0.1	L N/A	Y				
A B C D	Baseboards	2.0	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	/	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	cov.	L N/A	Y				
A B	Door ^{to rm 10}	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door ^{to rm 11}	0.1	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
A B	Door ^{to storage}	0.0	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door ^{to rm 11}	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Closet Door	/	L N/A	Y				
A	CI Door Edge	.	F L N/A	Y				
B	CI Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y				
D	Closet Walls	.	L N/A	Y				
	CI Baseboard	.	L N/A	Y				
1	Closet Pole	.	L N/A	Y				
2	Closet Shelf	.	L N/A	Y				
3	CI Supports	.	L N/A	Y				
4	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	.	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
	Closet Door	.	L N/A	Y				
A	CI Door Edge	.	F L N/A	Y				
B	CI Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y				
D	Closet Walls	.	L N/A	Y				
	CI Baseboard	.	L N/A	Y				
1	Closet Pole	.	L N/A	Y				
2	Closet Shelf	.	L N/A	Y				
3	CI Supports	.	L N/A	Y				
4	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	.	L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
B	THRESHOLD	0.0	F M/I A/M L N/A	Y				
A D	CASE TRIM	0.2	F M/I A/M L N/A	Y				
B	DISPLAY CASE TRIM	0.0	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS: Baseboards are In-Compliance

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD



Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

1 1

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF (HALL 4)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B	Door Rm. 11	0.0	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.2	L N/A	Y				
3/4	Door Jamb	0.5	F L N/A	Y				
	Threshold	MET	L N/A	Y				
A/B	Door Rm. 8	0.0	L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.3	L N/A	Y				
3/4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Rm. 12	0.0	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.4	L N/A	Y				
3/4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Storage	0.1	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.3	L N/A	Y				
3/4	Door Jamb	0.4	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Ext.	0.2	L N/A	Y				
C/D	Door Edge	0.2	F L N/A	Y				
1/2	Door Casing	0.1	L N/A	Y				
3/4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MET	L N/A	Y				
A/B	Door Storage	0.0	L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.0	L N/A	Y				
3/4	Door Jamb	0.4	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A/B	Door Storage	0.1	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.4	L N/A	Y				
3/4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B	Door Hall 5	0.2	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.1	L N/A	Y				
3/4	Door Jamb	0.2	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Rm. 8	0.0	L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.3	L N/A	Y				
3/4	Door Jamb	0.4	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Hall 3	0.1	L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.0	L N/A	Y				
3/4	Door Jamb	0.1	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Storage	0.0	L N/A	Y				
C/D	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.2	L N/A	Y				
3/4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A/B	Door Rm. 12	0.2	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.2	L N/A	Y				
3/4	Door Jamb	0.1	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A/B	Door Bath 11	0.1	L N/A	Y				
C/D	Door Edge	0.1	F L N/A	Y				
1/2	Door Casing	0.1	L N/A	Y				
3/4	Door Jamb	0.4	F L N/A	Y				
	Threshold	NC	L N/A	Y				
B	FIRE EXT. CASE	0.3	F M/I A/M L N/A					
B	DEFRIG. CASE	0.3	F M/I A/M L N/A					
C2	L Side Light	0.0	F M/I A/M L N/A	Y				
C2	R Side Light	0.0	F M/I A/M L N/A	Y				
C2	TRANSOM	0.1	F M/I A/M L N/A	Y				
D5	L Side Light	0.1	F M/I A/M L N/A	Y				
D5	R Side Light	0.1	F M/I A/M L N/A	Y				
D5	TRANSOM	0.1	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF (HALL 4)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door ^{KITCHEN}	0.3	L N/A	Y				
ⓐ	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
ⓑ	Threshold		L N/A	Y				
A B	Door ^{Ext.}	0.2	L N/A	Y				
ⓐ	Door Edge	0.3	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
ⓑ	Threshold	MEI	L N/A	Y				
A B	Door ^{Ext.}	0.2	L N/A	Y				
ⓐ	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y				
ⓑ	Threshold	MEI	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
A B	Door	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
	Dr. sidelight	0.1	F M/I A/M L N/A					
	Dr. Transom	0.2	F M/I A/M L N/A					
	D11 sidelight	0.1	F M/I A/M L N/A	Y				
	D11 TRANSOM	0.5	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

<input type="checkbox"/>	Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems
--------------------------	---

Steve Dolinski

I 3171

Steve Dolinski 11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Danzare

City: Longmeadow

BATHROOM # 11

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.2	L N/A	Y				
A B C D	Low Walls		L N/A	Y				
A B C D	Baseboards	4.8	L N/A	Y				
A B C D	Chair Rail		L N/A	Y				
A B C D	Radiator	0.0	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B	Door	0.0	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.4	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame		L N/A	Y				
C D	Up Cab Door		L N/A	Y				
	Up Cab Walls		L N/A	Y				
1 2	Up Cab Shlvs		L N/A	Y				
3 4	Supports		L N/A	Y				
	Low Cab Fram		L N/A	Y				
A B	Low Cab Door		L N/A	Y				
C D	Low Cab Walls		L N/A	Y				
	Low Cab Shlvs		L N/A	Y				
1 2	Supports		L N/A	Y				
3 4	Drawers		L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B C D	Win Above 5'		L NA	Y				
	Ceiling Molding		L NA	Y				
A B C D	Medicine Cab		L NA	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS: Baseboards are Im-Compliance.

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/1/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

BATHROOM # 12

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls		L N/A	Y				
A B C D	Baseboards	0.2	L N/A	Y				
A B C D	Chair Rail		L N/A	Y				
A B C D	Radiator	0.1	L N/A	Y				
	Floor	COV.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B C D	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	NC	L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
A B	Door		L N/A	Y				
C D	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Up Cab Frame		L N/A	Y				
C D	Up Cab Door		L N/A	Y				
	Up Cab Walls		L N/A	Y				
1 2	Up Cab Shlvs		L N/A	Y				
3 4	Supports		L N/A	Y				
	Low Cab Fram		L N/A	Y				
A B	Low Cab Door		L N/A	Y				
C D	Low Cab Walls		L N/A	Y				
	Low Cab Shlvs		L N/A	Y				
1 2	Supports		L N/A	Y				
3 4	Drawers		L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B C D	Win Above 5'		L NA	Y				
	Ceiling Molding		L NA	Y				
A B C D	Medicine Cab		L NA	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 11-4-19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 10

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.2	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	VB	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	0.0	L N/A	Y				
	Floor	0.0	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	CON.	L N/A	Y				
A B	Door to Ext.	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	METH	L N/A	Y				
A B	Door	0.0	L N/A	Y				
C D	Door Edge	0.0	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	.	F L N/A	Y				
1 2	Door Casing	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
	Closet Door	.	L N/A	Y				
A	Cl Door Edge	.	F L N/A	Y				
B	Cl Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y				
D	Closet Walls	.	L N/A	Y				
	Cl Baseboard	.	L N/A	Y				
1	Closet Pole	.	L N/A	Y				
2	Closet Shelf	.	L N/A	Y				
3	Cl Supports	.	L N/A	Y				
4	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	.	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	NC	M/I A/M L N/A	Y				
B	Win Apron	/	L N/A	Y				
C	Win Casing	0.0	L N/A	Y				
D	Header Stop	0.1	M/I L N/A	Y				
	Int Stops	0.1	M/I L N/A	Y				
1	Win Int Sash	0.1	M/I L N/A	Y				
2	Exterior Sill	0.0	M/I SF L N/A	Y				
3	Part Bead	0.1	M/I L N/A	Y				
4	Blind Stop	0.1	M/I SF L N/A	Y				
	Win Ext Sash	0.1	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A B	Fireplace	.	L N/A	Y				
C D	Mantle	.	L N/A	Y				
A B	Win Above 5'	0.1	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
B	AC BOARD	0.0	F M/I A/M L N/A	Y				
B	AC TRIM	0.0	F M/I A/M L N/A	Y				
B	PC SILL	0.1	F M/I A/M L N/A	Y				
C	Baseboard	0.1	F M/I A/M L N/A	Y				
C	Baseboard	3.0	F M/I A/M L N/A	Y				
B	TRANSOM	0.1	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (10)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y						Low Cab Fram	0.1	L N/A	Y				
C D	Door Edge	.	F L N/A	Y					A B	Low Cab Door	0.0	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					C D	Low Cab Walls	0.1	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					#	Low Cab Shlvs	0.0	L N/A	Y				
	Threshold	.	L N/A	Y						Supports	.	L N/A	Y				
A B	Door	.	L N/A	Y						Drawers	.	L N/A	Y				
C D	Door Edge	.	F L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
1 2	Door Casing	.	L N/A	Y					B	Win Apron	.	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					C	Win Casing	.	L N/A	Y				
	Threshold	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
A B	Door	.	L N/A	Y						Int Stops	.	M/I L N/A	Y				
C D	Door Edge	.	F L N/A	Y					#	Win Int Sash	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y						Part Bead	.	M/I L N/A	Y				
	Threshold	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
		.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
A	Closet Door	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
B	Ci Door Edge	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
C	Closet Casing	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
D	Closet Walls	.	L N/A	Y						Int Stops	.	M/I L N/A	Y				
#	Ci Baseboard	.	L N/A	Y					#	Win Int Sash	.	M/I L N/A	Y				
	Closet Pole	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Closet Shelf	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
	Ci Supports	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
	Ci Drawers	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	Ci Dr Frame	.	L N/A	Y					A B	Fireplace	.	L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					C D	Mantel	.	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					A B	Sidelight (L)	.	L N/A	Y				
A B	Shlvs	0.4	L N/A	Y					C D	Sidelight (R)	.	L N/A	Y				
A B	Cab Above 5'	.	L N/A	Y					A B	Win Above 5'	.	L N/A	Y				
C D	Cab Above 5'	.	L N/A	Y					C D	Win Above 5'	.	L N/A	Y				
A B	Up Cab Door	0.2	L N/A	Y							.	F M/I A/M L N/A					
C D	Up Cab Walls	0.1	L N/A	Y							.	F M/I A/M L N/A					
#	Up Cab Shlvs	0.0	L N/A	Y							.	F M/I A/M L N/A					
	Supports	0.1	L N/A	Y							.	F M/I A/M L N/A					
D	UP CAB FRAME	0.1	F M/I A/M L N/A								.	F M/I A/M L N/A					
		.	F M/I A/M L N/A								.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 11

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Walls	0.1	L N/A	Y				
A B	Low Walls		L N/A	Y				
A B	Baseboards	0.1	L N/A	Y				
A B	Chair Rail		L N/A	Y				
A B	Radiator	0.0	L N/A	Y				
	Floor	0.1	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.1	L N/A	Y				
A B	Door Ext.	0.2	L N/A	Y				
C D	Door Edge	0.2	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	MET	L N/A	Y				
A B	Door Int.	0.0	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	MET	L N/A	Y				
A B	Door Int.	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.5	F L N/A	Y				
	Threshold	MET	L N/A	Y				
	Closet Door		L N/A	Y				
A	Cl Door Edge		F L N/A	Y				
B	Cl Casing		L N/A	Y				
C	Closet Jamb		F L N/A	Y				
D	Closet Walls		L N/A	Y				
	Cl Baseboard		L N/A	Y				
1	Closet Pole		L N/A	Y				
2	Closet Shelf		L N/A	Y				
3	Cl Supports		L N/A	Y				
4	Closet Floor		L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling		L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	0.0	M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing	0.1	L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops	0.0	M/I L N/A	Y				
	Win Int Sash		M/I L N/A	Y				
	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A	Window Sill		M/I A/M L N/A	Y				
B	Win Apron		L N/A	Y				
C	Win Casing		L N/A	Y				
D	Header Stop		M/I L N/A	Y				
	Int Stops		M/I L N/A	Y				
1	Win Int Sash		M/I L N/A	Y				
2	Exterior Sill		M/I SF L N/A	Y				
3	Part Bead		M/I L N/A	Y				
4	Blind Stop		M/I SF L N/A	Y				
	Win Ext Sash		M/I L N/A	Y				
A B	Fireplace		L N/A	Y				
C D	Mantle		L N/A	Y				
A B	Win Above 5'		L N/A	Y				
C D	Ceiling Molding		L N/A	Y				
	Beams	0.1	F M/I A/M L N/A	Y				
B	Duct	0.0	F M/I A/M L N/A	Y				
B	AIR HANDLER	0.1	F M/I A/M L N/A	Y				
	Baseboard	0.1	F M/I A/M L N/A	Y				
	Baseboard	0.0	M/I A/M L N/A	Y				
A	Portals to Storage	0.0	F M/I A/M L N/A	Y				

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: *231 Maple Rd.*

Apt. # *Daycare*

City: *Longmeadow*

CONTINUATION OF ROOM (*11*)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door <i>WALL</i>	0.1	L N/A	Y													
ⓐ	Door Edge	0.1	F L N/A	Y					A B	Low Cab Fram	0.1	L N/A	Y				
ⓑ	Door Casing	0.4	L N/A	Y					ⓐ	Low Cab Door	0.0	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y					#	Low Cab Walls	0.0	L N/A	Y				
	Threshold	0.1	L N/A	Y						Low Cab Shlvs	0.1	L N/A	Y				
A B	Door	.	L N/A	Y						Supports	NC	L N/A	Y				
C D	Door Edge	.	F L N/A	Y						Drawers	.	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
A B	Door	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
C D	Door Edge	.	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Threshold	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
A B	Door	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
C D	Door Edge	.	F L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y					A	Window Sill	.	M/I A/M L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
A	Closet Door	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
B	Cl Door Edge	.	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
C	Cl Casing	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
C	Closet Jamb	.	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
C	Closet Walls	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
D	Cl Baseboard	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
#	Closet Pole	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	Closet Shelf	.	L N/A	Y					A B	Fireplace	.	L N/A	Y				
	Cl Supports	.	L N/A	Y					C D	Mantel	.	L N/A	Y				
	Cl Drawers	.	L N/A	Y					A B	Sidelight (L)	.	L N/A	Y				
	Cl Dr Frame	.	L N/A	Y					C D	Sidelight (R)	.	L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					A B	WALL ACCESS	0.2	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					ⓐ	ELECTRICAL	0.1	L N/A	Y				
A B	Shlvs Above 5'	.	L N/A	Y					ⓑ	STAIR RISER	0.1	F M/I A/M L N/A					
A B	Cab Above 5'	.	L N/A	Y					D	WALL SUPPORT	0.1	F M/I A/M L N/A					
A B	Cab Above 5'	.	L N/A	Y					C	UPPER FRAME	0.1	F M/I A/M L N/A					
C D	Up Cab Door	.	L N/A	Y					D	SHELVES & SUPPORTS	0.1	F M/I A/M L N/A					
#	Up Cab Walls	0.2	L N/A	Y					A	CONTROL PANEL	0.0	F M/I A/M L N/A					
	Up Cab Shlvs	0.0	L N/A	Y													
	Supports	NC	L N/A	Y													
A	RAILINGS	0.1	F M/I A/M L N/A														
A	STAIR TREAD	0.1	F M/I A/M L N/A														

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 11-4-19

Page 51 of 64

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

ROOM # 12

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B C D	Walls	0.1	L N/A	Y				
A B C D	Low Walls	/	L N/A	Y				
A B C D	Baseboards	/	L N/A	Y				
A B C D	Chair Rail	/	L N/A	Y				
A B C D	Radiator	0.2	L N/A	Y				
	Floor	cov.	L <input type="checkbox"/> (dust) N/A	Y				
	Ceiling	0.0	L N/A	Y				
A B	Door EXT.	0.1	L N/A	Y				
C D	Door Edge	0.5	F L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.4	F L N/A	Y				
	Threshold	MET	L N/A	Y				
A B	Door	0.1	L N/A	Y				
C D	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	/	L N/A	Y				
A B	Door	/	L N/A	Y				
C D	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Closet Door	/	L N/A	Y				
A	Cl Door Edge	/	F L N/A	Y				
B	Cl Casing	/	L N/A	Y				
C	Closet Jamb	/	F L N/A	Y				
D	Closet Walls	/	L N/A	Y				
	Cl Baseboard	/	L N/A	Y				
1	Closet Pole	/	L N/A	Y				
2	Closet Shelf	/	L N/A	Y				
3	Cl Supports	/	L N/A	Y				
4	Closet Floor	/	L <input type="checkbox"/> (dust) N/A	Y				
	Closet Ceiling	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A	Window Sill	.	M/I A/M L N/A	Y				
B	Win Apron	.	L N/A	Y				
C	Win Casing	.	L N/A	Y				
D	Header Stop	.	M/I L N/A	Y				
	Int Stops	.	M/I L N/A	Y				
1	Win Int Sash	.	M/I L N/A	Y				
2	Exterior Sill	.	M/I SF L N/A	Y				
3	Part Bead	.	M/I L N/A	Y				
4	Blind Stop	.	M/I SF L N/A	Y				
	Win Ext Sash	.	M/I L N/A	Y				
A B	Fireplace	/	L N/A	Y				
C D	Mantle	/	L N/A	Y				
A B C D	Win Above 5'	/	L N/A	Y				
	Ceiling Molding	/	L N/A	Y				
A	Roller Trunk	0.1	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

CONTINUATION OF ROOM (12)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH	SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Door	.	L N/A	Y													
C D	Door Edge	.	F L N/A	Y					A B	Low Cab Fram	0.1	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					C D	Low Cab Door	0.0	L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					#	Low Cab Walls	0.0	L N/A	Y				
	Threshold	.	L N/A	Y						Low Cab Shlvs	0.0	L N/A	Y				
A B	Door	.	L N/A	Y						Supports	0.0	L N/A	Y				
C D	Door Edge	.	F L N/A	Y						Drawers	.	L N/A	Y				
1 2	Door Casing	.	L N/A	Y					A	Window Sill	.	M/I AM L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
	Threshold	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
A B	Door	.	L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
C D	Door Edge	.	F L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
1 2	Door Casing	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
3 4	Door Jamb	.	F L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Threshold	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
		.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
		.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
A	Closet Door	.	L N/A	Y					A	Window Sill	.	M/I AM L N/A	Y				
B	Cl Door Edge	.	F L N/A	Y					B	Win Apron	.	L N/A	Y				
C	Cl Casing	.	L N/A	Y					C	Win Casing	.	L N/A	Y				
C	Closet Jamb	.	F L N/A	Y					D	Header Stop	.	M/I L N/A	Y				
D	Cl Baseboard	.	L N/A	Y					#	Int Stops	.	M/I L N/A	Y				
#	Closet Pole	.	L N/A	Y						Win Int Sash	.	M/I L N/A	Y				
	Closet Shelf	.	L N/A	Y						Exterior Sill	.	M/I SF L N/A	Y				
	Cl Supports	.	L N/A	Y						Part Bead	.	M/I L N/A	Y				
	Cl Drawers	.	L N/A	Y						Blind Stop	.	M/I SF L N/A	Y				
	Cl Dr Frame	.	L N/A	Y						Win Ext Sash	.	M/I L N/A	Y				
	Closet Floor	.	L <input type="checkbox"/> (dust) N/A	Y					A B	Fireplace	.	L N/A	Y				
	Closet Ceiling	.	L N/A	Y					C D	Mantel	.	L N/A	Y				
0	Shlvs	0.0	L N/A	Y					A B	Sidelight (L)	.	L N/A	Y				
A B	Cab Above 5'	.	L N/A	Y					C D	Sidelight (R)	.	L N/A	Y				
C D	Cab Above 5'	.	L N/A	Y					A B	Win Above 5'	.	L N/A	Y				
A B	Cab Above 5'	.	L N/A	Y					C D	Win Above 5'	.	L N/A	Y				
C D	Up Cab Door	.	L N/A	Y							.	F M/I A/M L N/A					
#	Up Cab Walls	.	L N/A	Y							.	F M/I A/M L N/A					
	Up Cab Shlvs	.	L N/A	Y							.	F M/I A/M L N/A					
	Supports	.	L N/A	Y							.	F M/I A/M L N/A					
		.	F M/I A/M L N/A								.	F M/I A/M L N/A					
		.	F M/I A/M L N/A								.	F M/I A/M L N/A					

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 288 SQ. IN.)

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property:

231 Maple Rd.

Apt #

Daycare

City:

Longmeadow

PORCH A₁ (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Siding	NC	L N/A	Y				
ⓐ	Corner Boards	/	L N/A	Y				
	Upper Trim	0.3	L N/A	Y				
	Ceiling	0.2	L N/A	Y				
	Joists	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
Ⓐ	Strm Door Edge	/	F L N/A	Y				
Ⓒ	Door <i>PAUL</i>	0.2	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
Ⓛ	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MEI	L N/A	Y				
	Kickplate	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
Ⓐ	Strm Door Edge	/	F L N/A	Y				
Ⓒ	Door <i>PAUL</i>	0.2	L N/A	Y				
	Door Edge	0.2	F L N/A	Y				
Ⓛ	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MEI	L N/A	Y				
	Kickplate	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
	Support Clmns	NC	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	/	A/M L N/A	Y				
	Handrail	/	A/M L N/A	Y				
	Balusters	/	L N/A	Y				
	Lower Rail	/	L N/A	Y				
	Treads	/	F L N/A	Y				
	Risers	/	L N/A	Y				
	Stringer	/	L N/A	Y				
	Tread Edge	/	L N/A	Y				
	Lower Walls	/	L N/A	Y				
	Lattice	/	L N/A	Y				
	Lower Trim	0.2	L N/A	Y				
	Floor	NC	L <input type="checkbox"/> (dust)* N/A	Y				
	<i>B L Sidelight</i>	0.1	F M/I A/M L N/A	Y				
	<i>B R Sidelight</i>	0.0	F M/I A/M L N/A	Y				
	<i>B TRANSOM</i>	0.0	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

(dust)* - Applies only to porches used as interior space

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski 11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH A2 (side) 1st (floor)

Table with columns: SIDE, LOCATION/SURFACE, LEAD, TYPE OF HAZARD, URG HAZ?, IC DATE, IC METH, DELEAD DATE, DELEAD METH. Rows include Siding, Corner Boards, Upper Trim, Ceiling, Joists, Storm Door, Strm Door Edge, Door, Door Edge, Door Casing, Door Jamb, Threshold, Kickplate, Window Sill, Win Casing, Window Sash, Mullions.

Table with columns: SIDE, LOCATION/SURFACE, LEAD, TYPE OF HAZARD, URG HAZ?, IC DATE, IC METH, DELEAD DATE, DELEAD METH. Rows include Window Sill, Win Casing, Window Sash, Mullions, Support Clmns, Newel post, Railing Cap, Handrail, Balusters, Lower Rail, Treads, Risers, Stringer, Tread Edge, Lower Walls, Lattice, Lower Trim, Floor, TRANSOM.

COMMENTS / STRUCTURAL DEFECTS:

(dust)* - Applies only to porches used as interior space
COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

Table with columns: SIDE, LOCATION, MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.), IC DATE, IC METHOD.

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski 1114119

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH A3 (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B C/D	Siding	NC	L N/A	Y				
	Corner Boards	/	L N/A	Y				
	Upper Trim	0.1	L N/A	Y				
	Ceiling	0.1	L N/A	Y				
	Joists	/	L N/A	Y				
A/B C/D	Storm Door	/	L N/A	Y				
	Strm Door Edge	/	F L N/A	Y				
	Door	0.1	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
	1 2	Door Casing	0.1	L N/A	Y			
	3 4	Door Jamb	0.0	F L N/A	Y			
		Threshold	MEI	L N/A	Y			
	Kickplate	/	L N/A	Y				
A/B C/D	Storm Door	/	L N/A	Y				
	Strm Door Edge	/	F L N/A	Y				
	Door	/	L N/A	Y				
	Door Edge	/	F L N/A	Y				
	1 2	Door Casing	/	L N/A	Y			
	3 4	Door Jamb	/	F L N/A	Y			
		Threshold	/	L N/A	Y			
	Kickplate	/	L N/A	Y				
A/B C/D	Window Sill	/	A/M L N/A	Y				
	Win Casing	/	L N/A	Y				
	1 2	Window Sash	/	L N/A	Y			
	3 4	Mullions	/	L N/A	Y			
A/B C/D	Window Sill	/	A/M L N/A	Y				
	Win Casing	/	L N/A	Y				
	1 2	Window Sash	/	L N/A	Y			
	3 4	Mullions	/	L N/A	Y			
A/B C/D	Window Sill	/	A/M L N/A	Y				
	Win Casing	/	L N/A	Y				
	1 2	Window Sash	/	L N/A	Y			
	3 4	Mullions	/	L N/A	Y			

COMMENTS / STRUCTURAL DEFECTS:

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B	Window Sill	.	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A/B	Window Sill	.	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
	Support Climbs	NC	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	.	A/M L N/A	Y				
	Handrail	.	A/M L N/A	Y				
	Balusters	.	L N/A	Y				
	Lower Rail	.	L N/A	Y				
	Treads	.	F L N/A	Y				
	Risers	.	L N/A	Y				
	Stringer	.	L N/A	Y				
	Tread Edge	.	L N/A	Y				
	Lower Walls	.	L N/A	Y				
	Lattice	.	L N/A	Y				
	Lower Trim	.	L N/A	Y				
	Floor	NC	L <input type="checkbox"/> (dust)* N/A	Y				
C	TRANSOM	0.0	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				
		.	F M/I A/M L N/A	Y				

(dust)* - Applies only to porches used as interior space
COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH B (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Siding	NC	L N/A	Y				
C D	Comer Boards	/	L N/A	Y				
	Upper Trim	0.1	L N/A	Y				
	Ceiling	0.1	L N/A	Y				
	Joists	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
A B	Strm Door Edge	/	F L N/A	Y				
C D	Door	0.2	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MET	L N/A	Y				
	Kickplate	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
A B	Strm Door Edge	/	F L N/A	Y				
C D	Door	1.1	L N/A	Y				
	Door Edge	NA	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.2	F L N/A	Y				
	Threshold	MET	L N/A	Y				
	Kickplate	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
A B	Window Sill	/	A/M L N/A	Y				
C D	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
	Support Clmns	0.3	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	/	A/M L N/A	Y				
	Handrail	/	A/M L N/A	Y				
	Balusters	/	L N/A	Y				
	Lower Rail	/	L N/A	Y				
	Treads	/	F L N/A	Y				
	Risers	/	L N/A	Y				
	Stringer	/	L N/A	Y				
	Tread Edge	/	L N/A	Y				
	Lower Walls	/	L N/A	Y				
	Lattice	/	L N/A	Y				
	Lower Trim	/	L N/A	Y				
	Floor	NC	L (dust)* N/A	Y				
A	LINTEL	0.0	F M/I A/M L N/A	Y				
D2	DOOR	1.5	F M/I A/M L N/A	Y				
D2	DOOR EDGE	NA	F M/I A/M L N/A	Y				
D2	DOOR CASING	0.3	F M/I A/M L N/A	Y				
D2	DOOR JAMB	0.3	F M/I A/M L N/A	Y				
D2	THRESHOLD	MET	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

(dust)* - Applies only to porches used as interior space

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski 11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH C1 (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Siding	NC	L N/A	Y				
CD	Corner Boards	/	L N/A	Y				
	Upper Trim	0.0	L N/A	Y				
	Ceiling	0.0	L N/A	Y				
	Joists	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
AB	Strm Door Edge	/	F L N/A	Y				
CD	Door HALL 301	/	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.0	L N/A	Y				
3 4	Door Jamb	0.0	F L N/A	Y				
	Threshold	MEI.	L N/A	Y				
	Kickplate	/	L N/A	Y				
	Storm Door	/	L N/A	Y				
AB	Strm Door Edge	/	F L N/A	Y				
CD	Door	/	L N/A	Y				
	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Kickplate	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
	Support Clmns	NC	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	/	A/M L N/A	Y				
	Handrail	/	A/M L N/A	Y				
	Balusters	/	L N/A	Y				
	Lower Rail	/	L N/A	Y				
	Treads	/	F L N/A	Y				
	Risers	/	L N/A	Y				
	Stringer	/	L N/A	Y				
	Tread Edge	/	L N/A	Y				
	Lower Walls	/	L N/A	Y				
	Lattice	/	L N/A	Y				
	Lower Trim	/	L N/A	Y				
	Floor	NC	<input type="checkbox"/> (dust)* N/A	Y				
A	TRANSOM	0.0	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

(dust)* - Applies only to porches used as interior space
COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH C2 (side) 1st (floor)

SIDE	LOCATION/SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Siding	NC	L N/A	Y				
CD	Corner Boards		L N/A	Y				
	Upper Trim	0.0	L N/A	Y				
	Ceiling	0.1	L N/A	Y				
	Joists		L N/A	Y				
	Storm Door		L N/A	Y				
AB	Storm Door Edge		F L N/A	Y				
CD	Door Hall 4	0.2	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.1	L N/A	Y				
3 4	Door Jamb	0.3	F L N/A	Y				
	Threshold	MET	L N/A	Y				
	Kickplate		L N/A	Y				
AB	Storm Door		L N/A	Y				
	Storm Door Edge		F L N/A	Y				
CD	Door		L N/A	Y				
	Door Edge		F L N/A	Y				
1 2	Door Casing		L N/A	Y				
3 4	Door Jamb		F L N/A	Y				
	Threshold		L N/A	Y				
	Kickplate		L N/A	Y				
AB	Window Sill		A/M L N/A	Y				
CD	Win Casing		L N/A	Y				
1 2	Window Sash		L N/A	Y				
3 4	Mullions		L N/A	Y				
AB	Window Sill		A/M L N/A	Y				
CD	Win Casing		L N/A	Y				
1 2	Window Sash		L N/A	Y				
3 4	Mullions		L N/A	Y				
AB	Window Sill		A/M L N/A	Y				
CD	Win Casing		L N/A	Y				
1 2	Window Sash		L N/A	Y				
3 4	Mullions		L N/A	Y				

SIDE	LOCATION/SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Window Sill		A/M L N/A	Y				
CD	Win Casing		L N/A	Y				
1 2	Window Sash		L N/A	Y				
3 4	Mullions		L N/A	Y				
AB	Window Sill		A/M L N/A	Y				
CD	Win Casing		L N/A	Y				
1 2	Window Sash		L N/A	Y				
3 4	Mullions		L N/A	Y				
	Support Clmns		L N/A	Y				
	Newel post		L N/A	Y				
	Railing Cap		A/M L N/A	Y				
	Handrail		A/M L N/A	Y				
	Balusters		L N/A	Y				
	Lower Rail		L N/A	Y				
	Treads		F L N/A	Y				
	Risers		L N/A	Y				
	Stringer		L N/A	Y				
	Tread Edge		L N/A	Y				
	Lower Walls		L N/A	Y				
	Lattice		L N/A	Y				
	Lower Trim		L N/A	Y				
	Floor	NC	L <input type="checkbox"/> (dust)* N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				
			F M/I A/M L N/A	Y				

(dust)* - Applies only to porches used as interior space
 COMMENTS / STRUCTURAL DEFECTS:

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Dayton

City: Longmeadow

PORCH D2 (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B C/D	Siding	NC	L N/A	Y				
	Corner Boards	/	L N/A	Y				
	Upper Trim	0.0	L N/A	Y				
	Ceiling	0.1	L N/A	Y				
	Joists	/	L N/A	Y				
A/B	Storm Door	/	L N/A	Y				
	Strm Door Edge	/	F L N/A	Y				
C/D	Door	0.1	L N/A	Y				
	Door Edge	0.3	F L N/A	Y				
1/2	Door Casing	0.3	L N/A	Y				
	Door Jamb	0.2	F L N/A	Y				
3/4	Threshold	MET	L N/A	Y				
	Kickplate	/	L N/A	Y				
A/B	Storm Door	/	L N/A	Y				
	Strm Door Edge	/	F L N/A	Y				
C/D	Door	0.1	L N/A	Y				
	Door Edge	0.0	F L N/A	Y				
1/2	Door Casing	0.5	L N/A	Y				
	Door Jamb	0.1	F L N/A	Y				
3/4	Threshold	MET	L N/A	Y				
	Kickplate	/	L N/A	Y				
A/B	Window Sill	/	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1/2	Window Sash	/	L N/A	Y				
3/4	Mullions	/	L N/A	Y				
A/B	Window Sill	/	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1/2	Window Sash	/	L N/A	Y				
3/4	Mullions	/	L N/A	Y				
A/B	Window Sill	/	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1/2	Window Sash	/	L N/A	Y				
3/4	Mullions	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A/B	Window Sill	/	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1/2	Window Sash	/	L N/A	Y				
3/4	Mullions	/	L N/A	Y				
A/B	Window Sill	/	A/M L N/A	Y				
C/D	Win Casing	/	L N/A	Y				
1/2	Window Sash	/	L N/A	Y				
3/4	Mullions	/	L N/A	Y				
	Support Clmns	NC	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	/	A/M L N/A	Y				
	Handrail	/	A/M L N/A	Y				
	Balusters	/	L N/A	Y				
	Lower Rail	/	L N/A	Y				
	Treads	/	F L N/A	Y				
	Risers	/	L N/A	Y				
	Stringer	/	L N/A	Y				
	Tread Edge	/	L N/A	Y				
	Lower Walls	/	L N/A	Y				
	Lattice	/	L N/A	Y				
	Lower Trim	/	L N/A	Y				
	Floor	NC	<input type="checkbox"/> (dust)*	N/A	Y			
	B	LOWER CEILING	0.2	F M/I A/M L N/A	Y			
	B	UPPER WALL	0.1	F M/I A/M L N/A	Y			
B	TRANSOM	0.1	F M/I A/M L N/A	Y				
C/D	FENCE	0.1	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				
		/	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

(dust)* - Applies only to porches used as interior space
COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

I 3171

Steve Dolinski

1114119

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic #

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

PORCH D₁ (side) 1st (floor)

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Siding	NC	L N/A	Y				
CD	Corner Boards	/	L N/A	Y				
	Upper Trim	0.2	L N/A	Y				
	Ceiling	0.2	L N/A	Y				
	Joists	/	L N/A	Y				
AB	Storm Door	/	L N/A	Y				
AB	Strm Door Edge	/	F L N/A	Y				
CD	Door ^{to} Km.1	1.1	L N/A	Y				
	Door Edge	NA	L N/A	Y				
1 2	Door Casing	0.3	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
	Kickplate	/	L N/A	Y				
AB	Storm Door	/	L N/A	Y				
AB	Strm Door Edge	/	F L N/A	Y				
CD	Door ^{to} Hall	0.1	L N/A	Y				
	Door Edge	0.1	F L N/A	Y				
1 2	Door Casing	0.2	L N/A	Y				
3 4	Door Jamb	0.1	F L N/A	Y				
	Threshold	MET.	L N/A	Y				
	Kickplate	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
AB	Window Sill	/	A/M L N/A	Y				
CD	Win Casing	/	L N/A	Y				
1 2	Window Sash	/	L N/A	Y				
3 4	Mullions	/	L N/A	Y				
	Support Clmns	/	L N/A	Y				
	Newel post	/	L N/A	Y				
	Railing Cap	/	A/M L N/A	Y				
	Handrail	/	A/M L N/A	Y				
	Balusters	/	L N/A	Y				
	Lower Rail	/	L N/A	Y				
	Treads	/	F L N/A	Y				
	Risers	/	L N/A	Y				
	Stringer	/	L N/A	Y				
	Tread Edge	/	L N/A	Y				
	Lower Walls	/	L N/A	Y				
	Lattice	/	L N/A	Y				
	Lower Trim	/	L N/A	Y				
	Floor	NC	L <input type="checkbox"/> (dust)* N/A	Y				
A	LINTEL	0.1	F M/I A/M L N/A	Y				
B	L Side Light	0.1	F M/I A/M L N/A	Y				
B	R Side Light	0.1	F M/I A/M L N/A	Y				
B	TRANSOM	0.1	F M/I A/M L N/A	Y				
C	DOOR	0.1	F M/I A/M L N/A	Y				
C	DOOR EDGE	0.1	F M/I A/M L N/A	Y				
C	DOOR CASING	0.5	F M/I A/M L N/A	Y				
C	DOOR JAMB	0.5	F M/I A/M L N/A	Y				
C	THRESHOLD	MET.	F M/I A/M L N/A	Y				
C	LINTEL	0.1	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

(dust)* - Applies only to porches used as interior space

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can be made intact only by a licensed deleader.

SIDE	LOCATION	MEASURE: LOOSE PAINT (MORE THAN 2880 SQ. IN.)	IC DATE	IC METHOD

Check the box if this ROOM is RULED OUT for encapsulation because there are 3 or more A/M surfaces with adhesion problems

Steve Dolinski

13171

Steve Dolinski 11/4/19

Inspector (print)

Lic#

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Adt. # Danvers

City: Longmeadow

EXTERIOR A Side

1 1

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Siding	MC	L N/A	Y				
	Corner Boards		L N/A	Y				
	Lower Trim		L N/A	Y				
	Upper Trim	0.1	L N/A	Y				
	Win Above 5'		L N/A	Y				
	Porch Above 5'		L N/A	Y				
A	Storm Door		L N/A	Y				
	Storm Door Edge	F	L N/A	Y				
	Door		L N/A	Y				
	1 2 Door Edge	F	L N/A	Y				
	3 4 Door Casing		L N/A	Y				
	Door Jamb	F	L N/A	Y				
	Threshold		L N/A	Y				
	Kickplate		L N/A	Y				
A	Storm Door		L N/A	Y				
	Storm Door Edge	F	L N/A	Y				
	Door		L N/A	Y				
	1 2 Door Edge	F	L N/A	Y				
	3 4 Door Casing		L N/A	Y				
	Door Jamb	F	L N/A	Y				
	Threshold		L N/A	Y				
Kickplate		L N/A	Y					
A	Door		L N/A	Y				
	1 2 Door Edge	F	L N/A	Y				
	2 Door Casing		L N/A	Y				
	3 4 Door Jamb	F	L N/A	Y				
	Threshold		L N/A	Y				
Kickplate		L N/A	Y					
A	Window Sill	0.1 A/M	L N/A	Y				
	Win Casing	0.0	L N/A	Y				
#	Window Sash	0.1	L N/A	Y				
	Window Sill		L N/A	Y				
A	Win Casing		L N/A	Y				
	# Window Sash		L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
A	Window Sill	A/M	L N/A	Y				
	Win Casing		L N/A	Y				
	# Window Sash		L N/A	Y				
A	Cellar Win Sill	A/M	L N/A	Y				
	Cel Win Frame		L N/A	Y				
	# Cel Win Sash		L N/A	Y				
Screen Frame		L N/A	Y					
A	Cellar Win Sill	A/M	L N/A	Y				
	Cel Win Frame		L N/A	Y				
	# Cel Win Sash		L N/A	Y				
Screen Frame		L N/A	Y					
A	Cellar Win Sill	A/M	L N/A	Y				
	Cel Win Frame		L N/A	Y				
	# Cel Win Sash		L N/A	Y				
Screen Frame		L N/A	Y					
A	Foundation	0.1	L N/A	Y				
	Bulkhead		L N/A	Y				
	Fences		L N/A	Y				
	Shutters		L N/A	Y				
A	Newel post		L N/A	Y				
	Railing Cap	A/M	L N/A	Y				
	Handrail	A/M	L N/A	Y				
	Balusters		L N/A	Y				
	Lower Rail		L N/A	Y				
	Treads	F	L N/A	Y				
	Risers		L N/A	Y				
	Tread edge		L N/A	Y				
Landing floor		L N/A	Y					
A	Stringer		L N/A	Y				
	Lattice		L N/A	Y				
A	Drain Pipes		L N/A	Y				
	Elec Conduit		L N/A	Y				
	Oil Fill Pipe		L N/A	Y				
	Overhang Trim	0.1	L N/A	Y				
A Lamp Post		L N/A	Y					
A		F/M A/M	L N/A	Y				
A		F/M A/M	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 2880 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD
A				
A				
A				
A				

Soil Test Results (Must be less than 400 ppm for play area / 1200 ppm for bare soil)

LOCATION	AREA MEASUREMENT (Square Feet)	RESULT (PPM)	REMED DATE	REMED METH
Play Area				
Bare Soil				

Comments:

Steve Dolinski

13171

Steve Dolinski

11/4/19

Inspector (print)

Lic #

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

EXTERIOR B Side

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
B	Siding	NC	L N/A	Y				
B	Corner Boards	/	L N/A	Y				
B	Lower Trim	/	L N/A	Y				
B	Upper Trim	0.1	L N/A	Y				
B	Win Above 5'	0.1	L N/A	Y				
B	Porch Above 5'	/	L N/A	Y				
B	Storm Door	/	L N/A	Y				
B	Strm Door Edge	/	F L N/A	Y				
B	Door Double	0.1	L N/A	Y				
1 2	Door Edge	0.1	F L N/A	Y				
3 4	Door Casing	0.0	L N/A	Y				
B	Door Jamb	0.1	F L N/A	Y				
B	Threshold	MET	L N/A	Y				
B	Kickplate	/	L N/A	Y				
B	Storm Door	/	L N/A	Y				
B	Strm Door Edge	/	F L N/A	Y				
B	Door	0.0	L N/A	Y				
1 2	Door Edge	0.1	F L N/A	Y				
3 4	Door Casing	0.1	L N/A	Y				
B	Door Jamb	0.1	F L N/A	Y				
B	Threshold	MET	L N/A	Y				
B	Kickplate	/	L N/A	Y				
B	Door	/	L N/A	Y				
B	Door Edge	/	F L N/A	Y				
1 2	Door Casing	/	L N/A	Y				
3 4	Door Jamb	/	F L N/A	Y				
B	Threshold	/	L N/A	Y				
B	Kickplate	/	L N/A	Y				
B	Window Sill	0.1	A/M L N/A	Y				
B	Win Casing	0.0	L N/A	Y				
#/SEA	Window Sash	0.1	L N/A	Y				
B	Window Sill	/	A/M L N/A	Y				
B	Win Casing	/	L N/A	Y				
#	Window Sash	/	L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 2880 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD
B				
B				
B				
B				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
B	Window Sill	/	A/M L N/A	Y				
B	Win Casing	/	L N/A	Y				
#	Window Sash	/	L N/A	Y				
B	Cellar Win Sill	/	A/M L N/A	Y				
B	Cel Win Frame	/	L N/A	Y				
#	Cel Win Sash	/	L N/A	Y				
B	Screen Frame	/	L N/A	Y				
B	Cellar Win Sill	/	A/M L N/A	Y				
B	Cel Win Frame	/	L N/A	Y				
#	Cel Win Sash	/	L N/A	Y				
B	Screen Frame	/	L N/A	Y				
B	Cellar Win Sill	/	A/M L N/A	Y				
B	Cel Win Frame	/	L N/A	Y				
#	Cel Win Sash	/	L N/A	Y				
B	Screen Frame	/	L N/A	Y				
B	Foundation	0.1	L N/A	Y				
B	Bulkhead	/	L N/A	Y				
B	Fences	0.0	L N/A	Y				
B	Bumper	0.5	L N/A	Y				
B	Posts	0.5	L N/A	Y				
B	Newel post	/	L N/A	Y				
B	Railing Cap	/	A/M L N/A	Y				
B	Handrail	/	A/M L N/A	Y				
B	Balusters	/	L N/A	Y				
B	Lower Rail	/	L N/A	Y				
B	Treads	/	F L N/A	Y				
B	Risers	/	L N/A	Y				
B	Tread edge	/	L N/A	Y				
B	Landing floor	/	L N/A	Y				
B	Stringer	/	L N/A	Y				
B	Lattice	/	L N/A	Y				
B	Drain Pipes	0.1	L N/A	Y				
B	Elec Conduit	/	L N/A	Y				
B	Oil Fill Pipe	/	L N/A	Y				
B	Overhang Trim	/	L N/A	Y				
B	Support Clms	/	L N/A	Y				
B	LINTEL	0.2	F M/I A/M L N/A	Y				
B	A.C. BOARDS	0.1	F M/I A/M L N/A	Y				

Soil Test Results (Must be less than 400 ppm for play area / 1200 ppm for bare soil)

LOCATION	AREA MEASUREMENT (Square Feet)	RESULT (PPM)	REMED DATE	REMED METH
Play Area				
Bare Soil				

Comments:

Steve Dolinski

I 3171

Steve Dolinski 11/4/19

Inspector (print)

Lic #

Signature

Date

1 1

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd.

Apt. # Daycare

City: Longmeadow

EXTERIOR C Side

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
C	Siding	NC	L N/A	Y				
	Corner Boards	.	L N/A	Y				
	Lower Trim	.	L N/A	Y				
	Upper Trim	0.1	L N/A	Y				
	Win Above 5'	.	L N/A	Y				
	Porch Above 5'	.	L N/A	Y				
C	Storm Door	.	L N/A	Y				
	Strm Door Edge	.	F L N/A	Y				
	Door	.	L N/A	Y				
	Door Edge	.	F L N/A	Y				
	Door Casing	.	L N/A	Y				
	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
	Kickplate	.	L N/A	Y				
C	Storm Door	.	L N/A	Y				
	Strm Door Edge	.	F L N/A	Y				
	Door	.	L N/A	Y				
	Door Edge	.	F L N/A	Y				
	Door Casing	.	L N/A	Y				
	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
C	Door	.	L N/A	Y				
	Door Edge	.	F L N/A	Y				
	Door Casing	.	L N/A	Y				
	Door Jamb	.	F L N/A	Y				
	Threshold	.	L N/A	Y				
	Kickplate	.	L N/A	Y				
C	Window Sill	0.1	A/M L N/A	Y				
	Win Casing	0.0	L N/A	Y				
	Window Sash	0.1	L N/A	Y				
C	Window Sill	.	A/M L N/A	Y				
	Win Casing	.	L N/A	Y				
	Window Sash	.	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
C	Window Sill	.	A/M L N/A	Y				
	Win Casing	.	L N/A	Y				
	Window Sash	.	L N/A	Y				
C	Cellar Win Sill	.	A/M L N/A	Y				
	Cel Win Frame	.	L N/A	Y				
	Cel Win Sash	.	L N/A	Y				
C	Screen Frame	.	L N/A	Y				
	Cellar Win Sill	.	A/M L N/A	Y				
	Cel Win Frame	.	L N/A	Y				
C	Cel Win Sash	.	L N/A	Y				
	Screen Frame	.	L N/A	Y				
	C	Cellar Win Sill	.	A/M L N/A	Y			
Cel Win Frame		.	L N/A	Y				
Cel Win Sash		.	L N/A	Y				
C	Screen Frame	.	L N/A	Y				
	Foundation	0.1	L N/A	Y				
	Bulkhead	.	L N/A	Y				
C	Fences	0.0	L N/A	Y				
	Shutters	.	L N/A	Y				
C	Newel post	.	L N/A	Y				
	Railing Cap	.	A/M L N/A	Y				
	Handrail	.	A/M L N/A	Y				
	Balusters	.	L N/A	Y				
	Lower Rail	.	L N/A	Y				
	Treads	.	F L N/A	Y				
	Risers	.	L N/A	Y				
	Tread edge	.	L N/A	Y				
	Landing floor	.	L N/A	Y				
	Stringer	.	L N/A	Y				
C	Lattice	.	L N/A	Y				
	Drain Pipes	0.1	L N/A	Y				
	Elec Conduit	.	L N/A	Y				
	Oil Fill Pipe	.	L N/A	Y				
C	Overhang Trim	0.1	L N/A	Y				
	Support Clmgs	.	L N/A	Y				
C	PLAYGROUND APPARATUS	0.4	F M/I A/M L N/A	Y				
	PLAYGROUND APPARATUS	.	F M/I A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 2880 SQ. IN.)

Soil Test Results (Must be less than 400 ppm for play area / 1200 ppm for bare soil)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD
C				
C				
C				
C				

LOCATION	AREA MEASUREMENT (Square Feet)	RESULT (PPM)	REMED DATE	REMED METH
Play Area				
Bare Soil				

Comments:

Steve Dolinski

13171

Steve Dolinski 11/4/19

Inspector (print)

Lic#

Signature

Date

Risk Assessor (print)

Lic#

Signature

Date

Address of Property: 231 Maple Rd

Apt. # Daneyare

City: Longmeadow

EXTERIOR D Side

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
D	Siding	NC	L N/A	Y				
	Corner Boards	/	L N/A	Y				
	Lower Trim	/	L N/A	Y				
	Upper Trim	0.2	L N/A	Y				
	Win Above 5'	/	L N/A	Y				
	Porch Above 5'	/	L N/A	Y				
D	Storm Door	/	L N/A	Y				
	Storm Door Edge	/	F L N/A	Y				
	Door	/	L N/A	Y				
	Door Edge	/	F L N/A	Y				
	Door Casing	/	L N/A	Y				
	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Kickplate	/	L N/A	Y				
D	Storm Door	/	L N/A	Y				
	Storm Door Edge	/	F L N/A	Y				
	Door	/	L N/A	Y				
	Door Edge	/	F L N/A	Y				
	Door Casing	/	L N/A	Y				
	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Kickplate	/	L N/A	Y				
D	Door	/	L N/A	Y				
	Door Edge	/	F L N/A	Y				
	Door Casing	/	L N/A	Y				
	Door Jamb	/	F L N/A	Y				
	Threshold	/	L N/A	Y				
	Kickplate	/	L N/A	Y				
D	Window Sill	0.0 A/M	L N/A	Y				
	Win Casing	0.1	L N/A	Y				
	Window Sash	0.1	L N/A	Y				
D	Window Sill	/	A/M L N/A	Y				
	Win Casing	/	L N/A	Y				
	Window Sash	/	L N/A	Y				

SIDE	LOCATION/ SURFACE	LEAD	TYPE OF HAZARD	URG HAZ?	IC DATE	IC METH	DELEAD DATE	DELEAD METH
D	Window Sill	/	A/M L N/A	Y				
	Win Casing	/	L N/A	Y				
	Window Sash	/	L N/A	Y				
D	Cellar Win Sill	/	A/M L N/A	Y				
	Cel Win Frame	/	L N/A	Y				
	Cel Win Sash	/	L N/A	Y				
D	Screen Frame	/	L N/A	Y				
	Cellar Win Sill	/	A/M L N/A	Y				
	Cel Win Frame	/	L N/A	Y				
D	Cel Win Sash	/	L N/A	Y				
	Screen Frame	/	L N/A	Y				
	D	Cellar Win Sill	/	A/M L N/A	Y			
Cel Win Frame		/	L N/A	Y				
Cel Win Sash		/	L N/A	Y				
D	Screen Frame	/	L N/A	Y				
	Foundation	NC	L N/A	Y				
	Bulkhead	/	L N/A	Y				
D	Fences	0.1	L N/A	Y				
	Shutters	/	L N/A	Y				
	D	Newel post	/	L N/A	Y			
Railing Cap		/	A/M L N/A	Y				
Handrail		/	A/M L N/A	Y				
Balusters		/	L N/A	Y				
Lower Rail		/	L N/A	Y				
Treads		/	F L N/A	Y				
Risers		/	L N/A	Y				
Tread edge		/	L N/A	Y				
Landing floor		/	L N/A	Y				
Stringer		/	L N/A	Y				
Lattice	/	L N/A	Y					
D	Drain Pipes	0.1	L N/A	Y				
	Elec Conduit	/	L N/A	Y				
	Oil Fill Pipe	/	L N/A	Y				
D	Overhang Trim	0.1	L N/A	Y				
	Support Clmns	/	L N/A	Y				
	AC BOARDS	0.0	F/M/A/M L N/A	Y				
D			F/M/A/M L N/A	Y				

COMMENTS / STRUCTURAL DEFECTS:

EXCLUDED SURFACES: Surfaces listed in these boxes can only be made intact by a Deleader (MORE THAN 2880 SQ. IN.)

SIDE	LOCATION	MEASURE: LOOSE PAINT	IC DATE	IC METHOD
D				
D				
D				
D				

Soil Test Results (Must be less than 400 ppm for play area / 1200 ppm for bare soil)

LOCATION	AREA MEASUREMENT (Square Feet)	RESULT (PPM)	REMED DATE	REMED METH
Play Area				
Bare Soil				
Comments:				